

ACTION ANATOMY

For Gamers, Animators, and Digital Artists



Takashi Iijima

About this Book

As computer graphics have become increasingly sophisticated, so have our expectations for realism. This is true for the computer games that we play, the animations that we watch, and the digital art that we enjoy. In the early 1980s, when Pac Man was at the height of its popularity, we were content to watch little creatures, whose circular bodies we only ever saw in profile, gobble each other up. Now, we want to see Onimusha's bulging muscles flex as he fiercely battles with his formidable opponents.

The trouble is, of course, that on a superficial level we are all exceedingly familiar with the human body—both its form as well as its potential for action. Whether you realize it or not, you have been studying the human body your whole life—when you brush your teeth in the morning, when you absent-mindedly see other people walking down the street, when you watch your favorite music star perform on stage. Most of us don't ever think about it, but in our everyday lives we see many different kinds of people performing every imaginable action. Consequently, when we see a CG figure who hasn't been well rendered—perhaps the hair looks funny or the motion is awkward or the lip-synch is off—we can be harsh in our critique.

This poses a real challenge for all digital creators. Not only do we need to be fluent in whatever 2D or 3D software programs we are using—whether it is Illustrator, Photoshop, LightWave 3D, 3D Studio Max, or any other of the many excellent programs that are available for digital artists—but we also need to have an extremely high level of skill in the foundations of our arts. And for many of us, this includes having a solid understanding of human anatomy.

This book will help you in your quest. It examines the human body and provides deeper knowledge of the various body parts and how they all work together, both in stop-motion as well as in action. Part 1: Structure presents the human form. This begins with complete diagrams of the human bone and musculature structures, and then continues, body part by body part, with a thorough examination of the entire body. Part 2: Action analyzes a number of typical movements. Illustrated by sequences of freeze-frame images, each of these activities is presented in great detail, with attention given to common trouble spots.

All of the chapters are connected to each other, so there's no need to read it linearly. Instead, start with any section that interests you and continue from there. We hope that this book answers all of your questions about the human body—and inspires you to create truly animated digital art.

The Editors

Contents

6 | The Human Form

8 | The Moving Body

10 | The Flow of Movement

12 | Personality in Action

14 | Understanding the Body's Bone Structure

18 | Examining the Human Musculature

22

Structure

Exploring the Construction of Human Body Parts

Eyes



24

Feet



30

Shoulders



36

Neck



42

Chest



48

Legs



54

Hands



60

Arms



66

Back & Waist



72

Head



78

Mouth



84

Nose & Ears



90

Skin & Hair



96

Face



102

Figure



108

Shapes of Action



114

120

Action

Exploring the Mechanisms of Body Movements

Getting up



122

Sitting down



128

Walking



134

Climbing up
and down

140

Running



146

Jumping



152

Throwing



158

Standing



164

Looking back



170

173

Afterword

174

Index



The Human Form

Bones support the core of the human body. The spine is the center, which provides flexible support. Above it is the skull, which gives central protection. The bones of the arms and legs extend in four directions. Muscles extend over the bones to cover them. Above the muscles is the flesh or skin, which shows various bulges on the surface. What form does the human body take? What mechanisms are involved in human movements? Understanding the answers to these questions is the first step in depicting the natural movements of the human body.

The Moving Body


Muscles provide incredible power and allow varied types of actions. When humans move, the body shape changes and the surfaces are greatly altered. Each part of the body has limited movement ability. Human bodies are heavy and change immensely when erect. After understanding the basic human structure, we need to investigate the mechanisms that help us move. Where is the center of gravity? How does someone maintain balance? When do people exert strength and where is the energy absorbed? It is important to continually and deeply investigate the basis for natural human actions.



Awareness and Habits

People have idiosyncrasies. The factors related to a person's actions include age, gender, occupation, environment, character, and race. Even if you can't see a person's face, you can identify him by his gestures. A peculiar habit can make a very strong individualistic impression. An old person's face reveals the experience of time, which has been carved into it. Also, faces express something that is seared into one's memory, and which can't easily be summed up in words. Each person has a different posture. One trivial gesture is connected to many factors, such as taste, aesthetics, situation, knowledge, feeling, and condition. Actions become alive when these factors are interwoven. A model that may look real but doesn't move is nothing more than a wax doll. Movement helps us to feel life. One simple movement can be overwhelming, as it brings us closer to the mystery of life.

Understanding the Body's Bone Structure




arms, hands

Pages 60-71

The humerus is in the upper arm, and the ulna and radius are in the forearm. At the base of the hands are a group of eight bones called the carpus.

Starting from the thumb side, they are the trapezium, trapezoid, scaphoid, capitate, lunate, hamate, triquetrum, and pisiform.

The palm of the hands has five bones, the metacarpus. Each finger is comprised of three bones. The thumb has only two



legs, feet


Pages 30-35, 54-59

The bones of the feet constantly bear the weight of the body.

Gravity dictates that the farther you go down the human anatomy, the stronger the bones and the better developed the muscles


should be. And yet, so as not to compromise agility, the bones of the lower part of the legs are thin.

Energy flow can be observed from the hips, which are responsible for maintaining the body's equilibrium. Energy travels from outside of the hips toward the back through the inside of the knees, ending at the Achilles tendon. This spiral flow of energy is significant in



Examining the Human Musculature

F R O



hips, legs, feet

Pages 30-35, 54-59, 72-77

Hip and leg muscles go together like shoulder and arm muscles. The pectoralis major in the chest is like the gluteus

Front



Back



Part 1


Structure

Exploring the Construction of Human Body Parts

The goal of this book is to portray people as naturally as possible in animation. To do this, we first have to understand the basic structure of the human body. The body's structure is complex, and many diverse parts have to cooperate to create movement. The body is also efficiently constructed so that each part can maximize its role and function. If we take the time to investigate, we will find that even the parts we take for granted contain some surprising revelations.

eye whites

The surface of the white part of the eye is a bit bumpy and not as smooth as the pupil. Many capillaries run across the surface. Blood pools to these capillaries when the eyes become tired or lack sleep, making the eyes red. Eye whites are basically white with a slightly bluish tint, but can change according to one's health. The constant secretion of tears creates a small pool of water between the eyes and the eyelids to keep the eyes moist.




animal eyes 3

The irises in rabbits' eyes lack any pigmentation. Because of their transparency, the retinas, which are red, are visible to the naked eye. The cat's pupil is vertically elongated, like a slit. This allows for rapid light adjustment. Cats that are nocturnal animals need eyes that help them navigate nimbly through the dark of the night. The pupils are vertical to


eyebrows 4

One eyebrow has roughly 650 hairs that measure approximately .4 inch.



iris movements 5

The iris changes the size of the pupil in the presence of light. Under strong light, the diameter shrinks to about .1 inch. In total darkness, the pupil dilates to about .3 inch.



4. Eyebrows

It is harder to read the expression on the face of someone without eyebrows. This inability leads to insecurity. Generally, the Japanese have flatter features than people of European descent, so their eyebrows are located higher up on the face.

5. Iris movements

The iris is activated by changes in the amount of light that enters the eyes and when the beholder is looking at something intently. To break it down even more, there are three categories: direct light, indirect light, and close-range reflex.

Direct light reaction

This is a swift reflex. When a very bright light enters the eyes, the pupil contracts within a second, then relaxes a little to adjust.

Indirect light reaction

This refers to when light enters one

eye and the pupil of the other eye also contracts in reaction.

Close-range reflex

When looking at something at close range, the pupil will contract to focus.

eyelid movements 6

Blinking and eyeball movements go hand in hand; blinking keeps the image crisp and clear even while the eyes shift their focus. The left set of

pictures shows the eye blinking while focusing straight ahead. The right set shows the eye blinking as it shifts its focus to the left.

eyeball movements 7

The left and right eyes focus together on an image. That means the eyes will become cross-eyed when focusing on an image in close range.

Also, the right eye and the left eye do not move in symmetry. They only follow what they see, creating differences in how they move.



6. Eyelid movements

Blinking can be divided into two parts: cyclical (an average of 20 times per minute for an adult male; 15 times for the adult female) and reflexive, to protect the eyes from external matter. Winking is a deliberate form of blinking. See the pictures above. If we measured one second in 30 picture frames, blinking takes up about 15 of those frames. The eye closes in four

frames, opens in 11 frames.


Furthermore, the eye closes rapidly in three frames, and shuts tight in one frame. Then the eye opens in six frames and returns slowly to its original position in five frames. The eyeball lags slightly behind the eyelid in turning down, but returns to its original position quicker than the eyelid. The lower eyelid is also moving during this time. In the first

four frames, it rises a little; it goes back down in the next six frames; and then it stops.

7. Eyeball movements

Eyes move instantaneously. When they move from left to right, blinking keeps the brain from registering the blurry vision that results from the sweeping motion. Blinking brings the gaze down and to the center. Then


the eyes look to the side while the eyelids reopen. One quick, dark moment takes out the blur. Eyelids move together, too. If you look up, your upper eyelids will move up, and if you look down, both your lower and your upper lids will move down. Lifting your upper eyelid while looking down is virtually impossible. It feels like you are lifting your eyelids, but you are actually only lifting your eyebrows.



ranges of eyeball movements

Looking straight ahead, the range of movement for the eyes in (a) is 20 degrees above and 30 degrees below that point, totaling 50 degrees. In (b), the range becomes 30 degrees to the right and 50 degrees to the

left, totaling 80 degrees. The natural position of the eyes—when the eyes are not focusing on anything—is not along a horizontal or vertical line. Rather, the eyes rest at a somewhat lower gaze, looking slightly outward.



a Range of eyeball movement: up and down


b Range of eyeball movement: left and right

Habits of the eyes

We rub our eyes when we get tired. Our brain sends a message that it wants to rest and decreases the secretion of tears, drying out the eyes. In a relaxed state when the eyes are not focusing, they move slightly down and toward the center, and the pupils dilate a little. It is the

most comfortable position for the eyes. In conversation, we look at the person talking. In doing so, we send the message that we are listening. We habitually protect our eyes. They are symbols of our awareness, and they continue to be mysterious organs.

feet



Structure

Exploring the Construction of Human Body Parts

feet

On Earth, humans are pulled by 1g of gravity. The bottoms of the feet sustain the body's weight, and the strength required to walk or run rises exponentially. The legs are said to be three times stronger than the arms, but the different parts of the feet are much stronger than the hands. Bend your big toe and see if you can straighten it using only your arm strength. It's difficult with both arms, isn't it? The other toes also have great strength. We can see why the foot is invested with such power when we think about the role it plays and the way it moves. This chapter will explore the foot, from the anklebone down.

Related pages

p. 54 legs p.108 figure p.114 shapes of action p.122 getting up p.134 walking
p.140 climbing up and down p.146 running p.152 jumping p.164 standing

shoulders



Structure

Exploring the Construction of Human Body Parts

shoulders

The shoulders sag, shrug, heave, express confidence, and carry burdens. They reflect a person's condition. They also can greatly change the shape of a person's body just by moving. Shoulders can endure the weight of an arm and allow it to move freely. The shoulder's ability to move in all directions helps the arm and hand move in a wider range. In fact, the shoulder, hingelike and seemingly capable of one function, has a lot of muscle, has a complex bone structure, and can exert power in all directions.



Related pages

p. 66 arms p. 114 shapes of action
Part 2 (all) action

shoulder proportions


Example: 28-year-old male

Each collarbone is about 6 inches long. It is 7 inches from the edge of the shoulder to below the shoulder blade. And it is another 6 inches from the bottom of the shoulder blade to the top. The bone is about 4 inches across.



shoulder surfaces

When exposed to sunlight, the shoulder can quickly burn. A trace of hair on the surface grows toward the back. Below the armpit, you can find curly hair and a large artery. The collarbone and shoulder blade both jut out enough to be visible. Since there are no major muscles between the two, the area looks hollowed out.



Understanding the shoulder's construction

The shoulder has the most range of any body part; it can change appearances suddenly. It plays a very prominent role in a full-length photograph, for example. Because of this, understanding the shoulder's construction is very important when creating characters for animation. Draw the shoulder with care, and your character will have more expression.

1. 2. Most movements draw out the intimate relationship between muscle and bone

The collarbone starts just above the first rib and extends back to the shoulder blade. The shoulder blade is triangular and connected to the humerus. The base of the humerus looks like a half ball sticking out at a slant. You can probably picture the way this joint moves, but that motion alone does not allow you to raise


your arm into the air. The shoulder is flexible because of the difficult-to-grasp relations between the work of the shoulder blade and the support of the collarbone. The structure is complex—muscles also work closely with the bones.

The shoulder muscles work to allow the following movements: raising or lowering the arms to a horizontal position; lowering and raising the shoulder blade; and pulling the shoulder blades close

together. Turn the page for more on the bones and muscles of the shoulder.


shoulder bones 1

The shoulder is made up of the humerus in the arm, the triangular shoulder blade in the back, and the collarbone, which is connected to the sternum in the center of the ribs.



shoulder muscles 2

The shoulder, which can move quite freely, has all sorts of muscles that establish close connections with other body parts.



2. Shoulder muscles and movement

Here are explanations of how the shoulder muscles displayed above help with movement.

A, B/ The supraspinatus connects along the top of the humerus and shoulder blade. It plays a role in the arm's abduction. The teres major connects the lower shoulder blade and humerus. It plays a role in the arm's adduction and involution.

C, D/ The infraspinatus and teres minor, which connect the middle of

the shoulder blade and the humerus, play a role in the arm's abduction.

E, F/ The levator scapulae connects the top of the back of the shoulder blade with the neck bones. It helps the shoulder bone rise. The rhomboid connects the bottom of the back of the shoulder blade with the spine. It helps the shoulder blade pull in.

G/ The subscapularis connects the middle of the back of the shoulder blade with the humerus. It plays a role in the arm's adduction and involution.

H/ The latissimus dorsi connects the humerus and the lower spine. It plays a role in the arm's adduction and involution.

I/ The serratus anterior connects the back of the shoulder blade and the ribs. It moves the shoulder blade forward.

J, K/ The pectoralis minor connects the front of the shoulder blade and the ribs. The coracobrachialis connects the front of the shoulder blade and the humerus. They stabilize the shoulder blade.



L/ The trapezius covers a lot of the back and stretches to the collarbone. It plays a comprehensive role in the shoulder blade's movements.

M/ The pectoralis major connects the collarbone, ribs, and humerus. It plays a role in the arm's adduction and involution.


N/ The deltoid is a triangular muscle on the outside of the humerus. It plays a role in bending the shoulder joint, extending, abduction, and horizontal adduction and abduction.

pectoral arch; triangular suspension 3


Looking at the shoulder from above, we can see a triangular arch made by the base of the humerus, the shoulder blade supporting it from behind, and the collarbone in front. The positioning of this arch indicates what sort of movement the shoulder is making.



Extend the arm backward, and the shoulder blade sags a little, pointing the triangle downward.






Extend the arm forward, and the shoulder blade slides forward and up, as does the triangle.



Raise the arm, and the shoulder blade slides quite a bit forward, lifting and shrinking the triangle.

shoulder movements and armpits 4

Lift your arm, and the armpit tilts forward. Extend your arm straight in front of you, and the armpit points diagonally down. As the shoulder rotates, the armpit rises.



3. The triangular arch that expresses the shoulder's movement

Don't forget the triangular arch when depicting the shoulder's movement. As it alters shape, it indicates a variety of movements. By focusing solely on the shoulder joint and its mobile parts, we can't grasp the shape of the shoulder or the boundaries of its movements. By looking at the triangle, however, we can see that the shoulder is often moving forward or up. When you

consider the shape of the shoulder blade, you can see how it is hard to move the shoulder to the back. When you sleep without a pillow, your cheek and shoulder will touch. Your head slopes down, of course, but it is also clear that the shoulder moves up and in. The collarbone is easily broken. There is little muscle to protect it—it looks like a splint. The shoulder blade, with its connection to a wealth of muscles, helps create movement at the joint and supports the arm in its movements.


4. The linkage between the collarbone and shoulder blade

Lift your arm to a 90-degree angle, and the shoulder blade and collarbone don't have to move too dramatically. The triangle we spoke of earlier also stays horizontal for the most part. Lift your straight arm beyond 90 degrees, and the collarbone moves way back while the shoulder blade slants upward. Move the arm backward, and the collarbone pushes forward a bit while the shoulder blade inches closer to


the center of the body. Move the arm forward again, and the shoulder blade slides along in support. The connection between the collarbone and shoulder blade depicts the cyclic nature of their movements—this is the key to understanding the shoulder.

shoulder postures ←5

The shoulder changes into various forms depending on a person's spiritual condition, lifestyle, and actions. It's also important to grasp the differences between men's and women's shoulders.



A Normal posture (left), stooping man (right)





B Preparing to exhale (left), depressed man exhaling (right)



C Frightened man



D Attacking man



F Man taking off a shirt (left), woman (right)



E Walking/
proud man (left),
tired man (right)

←5. Shoulder postures

The shoulders can unintentionally reveal something about a person's habits and spiritual condition. Let's take a look at how the shoulders do this:

A/ Relaxing

The shoulders usually sag. When you stoop, the shoulders move in and down. When your chest swells, the shoulders move back slightly as if they're leaning on the spine.

B/ Disappointment

The shoulders rise just before they

sag. That makes the sagging action look bigger.

C/ Fear

When you're afraid of something, the defense instinct takes over and your shoulders reflexively cower. When you face fear, your whole body becomes rounder as you protect your head, stomach, and other vulnerable areas.

D/ Attacking

The shoulders are sturdy and easy to put one's weight behind, so they're good for charging into something, as

in a rugby tackle.

E/ Walking

The shoulders can change the impression of someone walking. If the shoulders are drooping and the back is rounded, the person looks tired and weak. If the shoulders are raised and the chest is out, the person looks confident and energetic. When walking, the shoulders move in rhythm with the arms. When running, the shoulders are out first. They help the body twist. When running, you have to thrust your shoulder out as

the leg goes forward, or you'll fall. By twisting the hips and the upper body in opposite directions, you maintain balance. Swing your shoulders hard, and you can hit the ground with more force, propelling yourself forward.

F/ Putting on or taking off clothes


When putting something on, your right hand (or left, if you are left-handed) goes through the sleeve first. Then your right hand reaches back to grab the clothes item and pull it over your head, putting it on your body as

books

neck proportions


Example: 28-year-old male

Men's necks measure about 4.7 inches long, wide, and across. Women's are thinner, at about 4 inches. Women's necks seem longer because of the clothes they wear and the way their shoulders slope.



neck bones 1

The neck starts at the base of the skull. Of the 24 vertebrae (the spinal column) that extend all the way to the sacrum, the top seven (the cervical vertebrae) are the neck bones.



The role of the head's pedestal—the neck

The neck is a pedestal for the head to be placed on. It plays a lot of important roles: it's the place where bundles of nerves—which transmit signals from the brain—are concentrated; it's the home of the esophagus; and it's home to the vocal cords. Also, the neck constantly supports and moves the head.

But that's not all. The neck

connects the head and the torso, which means it contains many important organs. Another characteristic of the neck is that the layer of epidermis is thin, and the surface can change drastically. When drawing it, be careful not to make it look like a tube or make the head look like it is moving independently.

Also, the neck should reflect gender and age differences. If you

want your animation to reflect the constant flux that is characteristic of living things, you can't overlook these points.

1. The bones that compose the neck and make it move

The first, second, and seventh cervical vertebrae have slightly different shapes. The other four are similar in shape. The seventh one, known as the vertebra prominens,

bulges out in the back more than the others, making it visible. Because the spinal column absorbs the impact to the body, it undulates when viewed from the side. The upper part of the spine, the cervical spine, is in the neck. A newborn baby doesn't have this cervical spine yet; the head isn't fixed in position, so it totters back and forth. Once a baby turns three months old, the cervical spine is present and the head is more stable.

ranges of neck movements

When the head is facing forward, the neck can move 80 degrees to either side (a). This is the range of movement from the neck up; people can move more when using their body from the waist up. In (b), measuring from a line at the center of the neck and dividing the face in two, the neck can

move the head 30 degrees in either direction. In (c), the neck can move the head 65 degrees beyond the center line and 45 degrees behind it. The neck can move because of the bellowslike structure of the bones in the spine, so it really doesn't have a central spot from which rotation begins. It's


like a hose, able to bend in any direction, but if we treat the spots at the base of the neck and just below the ear and chin as the centers of rotation, we can see the different ranges. In the frontal view of (b), the point at the base of the neck can move 10 degrees in either direction. The point below

the chin has the same range. In (c), the point at the base of the neck can move 45 degrees forward and 10 degrees back. The point just below the ear has a range of 20 degrees forward and 35 degrees back.

a The head as viewed from above

b Frontal view with neck at center

c Side view with neck at center




when they look at advertisements on trains. When people concentrate on

interest by the way they look at an object. If they crane their neck

person's feelings, making it a very important part of animation.

are trying to see something, you'll keep your head movements to a

chest



Structure

Exploring the Construction of Human Body Parts

chest


Ever since the brain was recognized as the body's central command, the image of the heart or the soul has lost some authority. But people still care deeply for the matters of the heart. The chest is made up of the heart, which pumps the blood through the body; the lungs, which control the breathing; and the ribs, which create a solid wall of protection. To put it simply, the chest is a vessel filled with some very important items. Whether or not the chest really contains the spirit or the soul, the awareness of those elements can only come through one's actions. We will explore the theme of the chest from the starting point of a young woman's average-sized breasts.

Related pages p. 36 shoulders p. 108 figure p. 114 shapes of action p. 146 running

breast proportions


Example: 25-year-old female

The chest is a body part that changes proportion, shape, and size greatly from person to person, making it hard to define a norm. We won't try to positively declare the ways to depict the breast here, but it is worth noting that if the length from the jaw to the top of the head is A, the length from the jaw to the nipple is also A.




breast geometry

The size and shape of a man's chest depends greatly on the way the muscles are formed. Women's breasts also differ greatly in size and shape. The breast itself is a lump of fat, which means it is very soft and heavy.




The angle of the chest
The breasts point outward.

The ribs
The ribs are visible on the surface here.



The top part
The highest part of the breast is on the outside.

Representative breast types



1. How gender differences affect chest sizes and shapes

There are no precise boundaries with the neck, shoulders, and stomach. Movement of the spine and shoulders can greatly alter the shape of the chest.

The male chest

A man's chest consists of muscle. Where the muscles are thick, the chest swells. Where there is little muscle, the shape of the bones can

be seen. In the center, where the muscle is not thick, ribs are visible. Along the arches on both sides, ribs can be seen angling up and back. The pectoralis major forms an L shape. The nipples are small and point out and downward. Small hairs grow in the middle and toward the pit of the stomach. The middle is also a path for sweat to travel; heat rashes and rough skin can be found here.

The female chest

Female breasts come in many shapes. We will focus on the triangular breasts common among Asians. From the side, triangular breasts consist of a half circle on the bottom and a gentle sloping line at the top that looks almost straight. Viewed from above, the breasts point outward. The nipples point in either direction when viewed from the front.


Gravity makes the breasts sag. Like a man's chest, the area between the

breasts doesn't have much flesh. The outline at the bottom of the breast is more horizontal than one would think. It starts between the nipples and extends toward the middle of the armpit. The tallest part of the breast is along the line from just below the nipple toward the collarbone. Shoulder movements play a big role in changing the breast's shape. When a woman stretches her back muscles, a side view will show the lower ribs rising.


breast bones and muscles ↵2

The chest contains the spine and the 12 curving ribs on either side. In the center is the sternum. The parts are connected by costal cartilage, except for two bones at the bottom of the ribs that are not attached by cartilage. The ribs can be seen on the surface in both men and women.

The main muscle in the chest is the pectoralis major. It can change shape greatly when flexed. The diaphragm at the bottom of the ribs and the external abdominal obliques between the ribs help in breathing. The lungs have no muscle, so they can't inhale and exhale on their own. When a person breathes, the external and internal abdominal obliques contract and relax, drawing the ribs in and out.




The oval-shaped ribs
Viewed from the side, the ribs look like a slightly tilted egg.




breathing


Think of the diaphragm as a hypodermic syringe. When the rib cage expands, the lungs fill with air. When it contracts, the air is expelled.



Think of the diaphragm as a hypodermic syringe.



Inhaling



Exhaling

↵2. The structure of breasts

The breast consists of mammary glands and fat lumps. But it is also part of a woman's sex appeal and maternal appeal because it lactates. That's why it is regularly exaggerated. Certainly, the breast is made up of beautiful curving lines. It softly bears its weight, and a woman can't control


the way the lumps of fat move. The breast attracts attention.

For women, the breast is a source of pride and embarrassment, giving it a subtlety in movement. The actual movements of the breast—similar to the movements of cloth—are all reactions. The chest is wide in the base and thin at the top, forming a

pyramid. When the base moves, the top of the chest shouldn't change much. It is said that the breast is not as soft as pudding and not as resilient as the devil's tongue.

bras 3

The bra greatly supplements a woman's breasts. It can't be ignored when illustrating a woman's chest. The bra plays a role in the movement and outline of the breasts and the position of the nipples.



3. Bras

In most bras, a hard wire runs from the center and along the bottom of both breasts as if outlining them. Rubber is on both sides stretching toward the back to allow for elasticity. On one end, there are usually three loops that allow a woman to adjust the bra to her size;

on the other end is a little hook. The cup of the bra is shaped like the breast, and the bottom half is thick. Rubber straps extend from the top of the cup over the shoulder. The strap falls at about the point where the collarbone ends.

Bras push the breasts in and up, so the highest point of the breast


becomes higher and the tops of the breasts become closer together. The padding for both breasts is separated, and the tops of the breasts swell, emphasizing the valley between them. But unless the breasts are especially large, they are still separated.

From the side, the breasts usually

look plump and rounded, but when they are in a bra, they look straighter. Women can insert pads to make the lines more curvy.

breast movements 4

If you exclude the influence of the pectoralis major, the chest's movement is driven by the spine and the shoulders. Let's check out the difference between the breast's movements (its reactions to the body's movements) with and without a bra.



4. Breast movements based on gravity and reaction

The breasts are like soft bags of material placed on top of the rib cage, following the curving lines of the ribs and hanging down from both sides. If a woman bends down, her breasts hang down too; if she moves to the side, the breasts follow. They don't expand and contract. The changes we see are from chest movements

and in the breast's outline.


The breasts are forced by gravity to hang down in most cases. Gravity's influence is great, and if we try to react against it, we're soon stopped. The biggest movement for the breasts is upward. They naturally hang down, so there's little room to fall farther. When breasts move side to side, they don't sway and they seem smaller. The breasts both point outward, and

lateral movement is usually caused by the body twisting. When a woman sleeps facing up, her breasts fall to the sides and her chest flattens. Reverberation after the action is slight. If she raises her arm, the breast is pushed and pulled up.


Breasts are usually encased in a bra, greatly changing their shape and movement. Most of the time, when drawing a woman, she'll be wearing

a bra, and breast movements will be restricted. The bra cups push the breasts in and up, and both breasts are more centered, creating a clear-cut image. The wire at the bottom and the adjustable strap over the shoulder turn the breast from a freely moving lump of fat into part of the chest. The breasts no longer slide to the side or hang down as much when a woman bends over.


- a** View from above with cross section of the neck as the center
- b** Side view with the length of the spine in the center
- c** Frontal view with the bottom part of the space between the breasts as the end point



a



b



c

ranges of chest movements

In (a), the body faces forward. The chest has a lateral range of 20 degrees each, for a total of 40. In (b), with the body centered as

much as possible on a vertical line, the range is 30 degrees either way, for a total of 60. In (c), the body is at its most vertical; the range of

movement from the center is 35 degrees each way. Like the neck, the chest's range of movement is established by the spine. The use of the

whole spine adds further range to the chest's rotation and movement.

Changes that occur when running


People spend very little time on the ground when running. The feet push off in a hurry, and the chest drops for a split second. From the front, the breasts make a V shape as they rise slightly after the body. If the woman is wearing a bra, lateral movements are limited, and the V shape is

thinner. The breasts only change shape slightly when going down because there isn't much room to drop from their natural position. When the body springs from the ground, the breasts press against the ribs and float upward. It's almost as if there is no gravity. The breasts gently rise, fall quickly, then gently rise again. The running woman is most

likely clothed, which means the tops of the breasts are aligned, depending on the clothes. A straight horizontal line is maintained at the top, and the breasts rarely move independently. When drawing breasts, remember the restrictions caused by the bra and the thickness and hardness of the clothes.

supporting the body

In a standing position, the legs constantly support the body from the waist up. Naturally, muscles are more developed in the legs than elsewhere in the body. Standing upright with the heels together is tiring. Open your legs wider and the muscles in your outer thighs will tense up. The most comfortable position for your legs is opening them slightly, at shoulder's width. This brings the femur and the tibia in a straight line, strengthening vertical support. When required to stand in one position for a long period, we take the most comfortable position—standing straight with the legs slightly apart. In most cases, we also shift our upper body weight to either of the legs. We rest our upper body on one leg and when that leg gets tired, we shift our body weight onto the other leg. This is only one of many examples that illustrate this search for comfort, which is also seen in the way we toss and turn in bed.





The waist as part of our legs

The area starting from the abdomen and extending below moves largely in

sitting and resting 6

There are many ways to sit: sitting cross-leggedged on the floor; sitting on a chair; and sitting with your legs folded on the floor. When taking a seat on a chair, unless you are aware of it, your legs will part slightly. We cross our legs and switch them over to tense up and relax the leg muscles.



sitting in *seiza* posture 7

This posture naturally straightens up your back and pulls in your chin. The legs below the knees touch the ground, and the muscles on the thighs get pushed up to create a gentle curve. Blood circulation becomes poor; this is a demanding posture for the legs.

6 Sitting on a chair, crossing legs

When we sit on a chair, the relaxed muscles and fat expand the thighs a little on the seat. When you put on weight, the thighs become larger, thereby separating the knees more. Women sit with their legs closed because they wear skirts or want to look more elegant. Most men sit with their legs open. When they sit—just as when they stand—they put their weight on one of their legs by crossing their legs. Lifting even one

leg off of the ground means one less load to carry. It is a comfortable position that creates just the right amount of muscle tension. Fat thighs create a space right below the upper knee when the legs are crossed. Men tend to stretch out their feet as long as there are no restrictions caused by the shoes they wear. Of course, keeping the same leg crossed for a long time causes poor blood circulation and becomes uncomfortable, so they are switched regularly.

7 *Seiza*—a Japanese idiosyncrasy

We will look at a unique way of Japanese sitting—*seiza*. It used to be said that *seiza* led to bowleggedness. It turns out that early walking (i.e., in late infancy) is to blame. Bowleggedness is a condition in which the legs curve out at the knees when standing straight with both heels touching. The opposite condition—crossleggedness—is also well-known. *Seiza* sitting naturally straightens out the spine with

beautiful posture. It is said to be a touch of Japanese ingenuity to make the most of small living spaces. In the *seiza* position, your legs below the knees straighten out and touch the ground, while the thighs get pushed up from below to create a gentle curve. Your back straightens out and your body weight ends up resting on the tips of your feet. This causes poor blood circulation and numbness. There are some veterans who can sit in this position for hours, but for most, two hours is the limit.


ranges of leg movements

In (a), the leg, with the foot facing straight ahead, rotates 40 degrees to the left and 40 degrees to the right—a total of 80 degrees. In (b), the foot's rotation of 25 degrees each to the left

and right, totals 50 degrees. In (c), the entire length of the straightened leg can swing back 45 degrees and swing up 135 degrees, for a total sweep of 180 degrees. In (d), the axis is at the

knee. With the leg resting vertically, the shin part can move only 5 degrees forward, and bend 145 degrees to the back, swinging a total of 150 degrees. In (e), shows that

the legs can swing left to right like a pendulum to a total of 97 degrees—27 degrees to the inside and 70 degrees to the outside.



- a** Rotation of leg as seen from above
- b** Rotation of foot as seen from above
- c** Rotation of leg as seen from the side, with the top of the leg as its axis
- d** Rotation of leg as seen from the side, with the knee as its axis
- e** Rotation of leg, left to right, frontal view

Habits of the legs—"the shakes"

In standing, walking, and running, the legs take on a significant burden. And yet, they get in the way of comfortable posture. As a result, they get treated pretty roughly. This is a good opportunity to bring up one such example in relation to habits of the legs. The shakes—characterized by the foot, slightly raised at the heel, making small and rapid movements

up and down—is one of those habits. Some say it is a sign of minor agitation, but it also seems to happen at idle times or for other inexplicable reasons. Either way, it seems to happen when the legs have nothing to do or when they are in the way. For example, when you are sitting on the floor with your legs straight out, you may shake the tips of your foot left to right. This could be considered a


shake. Other habits include standing on one knee or elevating the leg to a desk or chair. In other expressive movements of the legs, stomping is often seen at times of anger or frustration. Jumping for extreme joy, or making small and quick steps when it's cold is another example.

open hand and closed fist 4

The fingers move after the tendons deliver the message that the muscles in the forearm have contracted.

Open hand


The fingers extend out and toward the pinky. The tendons of each finger rise, and the veins are clearly visible.



projecting
power

Closed fist

The fingers curl in and toward the thumb. The thumb covers the other fingers. The wrinkles on the back of the hand are stretched, and the veins are clearly visible.



how hands work 5

The main muscles for moving the fingers are not in the hand. The muscles of the forearm contract, pulling on the tendons that run through the hand.




hand postures 6

The most basic action of the hand is grasping something. Even newborn babies will try to grab objects near them. It's practically a reflex.




hand grabbing a cup



peace sign



thumbs-up



relaxed



pointing

6. Grasping, throwing, catching

Babies become aware of objects and instinctively try to grab them when they are just two or three months old. Next, the act of throwing is quickly learned. But the skills needed to catch something take much longer to acquire. The difficulty in playing catch is that one has to gauge the placement, speed, and mass of the object to prepare for the impact. The hand absorbing the

impact also can't just drop the ball; it has to grab it and throw it back. This action also shows how much and how cleverly the hand and brain are linked.

6. Grabbing a cup and lifting it to one's mouth

There are all sorts of ways to grab things. The fingertips are loaded with nerves, and they can tell with a touch the nature of something, including how thick it is. For example, when

grabbing a cup on a table and bringing it to your mouth, you'll take the following steps. First, your hand will grab the cup. The fingertips immediately report to the brain that the cup is thick and can be grabbed firmly without breaking, or that the surface is smooth and cold. If you know beforehand that the cup is filled with water and heavy, the fingertips will exert strength when touching it. After grabbing it firmly, the fingertips will estimate the strength needed to


lift the cup. Once the lifting begins, the fingerprints will act like the grooves in a tire, keeping the cup from slipping. The hand lifts the cup to the place it estimates the mouth to be while also trying not to spill. The important thing is not to estimate the weight of the object while lifting; the fingertips will do this before the lifting begins. The hands can handle these difficult actions with no waste and with elegance.

ranges of hand movements

From the index finger to the pinky, the joints at the bases of the fingers can rotate outwards about 10 degrees each. The thumb and

the skin connecting it to the palm work in a way that allows the thumb to make big movements. One point to remember: the wrist can't

move along the axis formed by a vertical line extending through the middle finger; that movement is controlled by the upper arm.



6. The role of the hand, master of the elaborate move

The hands express emotion. We can applaud the many gestures of the hand—they are almost like speech. Hand gestures are heavily influenced by culture, so they aren't quite a universal language. But the hands play an important role in

communication and expressing emotions and desires. If you want something, you extend your arm to take it. If you're bored, you may tap your fingers on your desk. When you want to put your thoughts down on paper, your hand grabs a pen and writes. The hand is capable of elaborate moves: just think of a

musician's fingers flitting over an instrument. The hand is second only to the eyes in expressing our desires. When people shake hands, the meaning is clear because it's the hand that is expressing the spirit's intent.

a-e

Side view of the hand, with the axis at the center

f-j


Bird's-eye view of the hand, with many axes

* The wrist is not capable of rotating by itself.

arms

Exploring the Construction of Human Body Parts

Structure



We deal with the shoulders, arms, and hands in separate chapters, but they are intimately related. In this chapter, we will look at all of these parts in a comprehensive explanation of the arms. In the “hands” chapter, we only touch on the fact that the forearm contains the muscles for moving the fingers. The arms, though not as strong as the legs, are capable of supporting the body. Compared to the legs, with their abundance of continuous power, the arms excel by having sudden bursts of power. At first glance, the arms seem simply constructed, but just like the legs, they have a network of muscles that let them make complex movements. The arms can do everything from lifting heavy barbells to pantomime or sleight of hand.

Related pages


p. 36 shoulders p. 60 hands p. 72 back & waist p. 108 figure p. 114 shapes of action
Part 2 (all) action

arms

arm proportions

Example: 28-year-old male




From the top of the shoulder to the elbow is about 12 inches. From the elbow to the wrist is about 10 inches. The base of the arm is about 4 inches wide; the elbow is 3.5 inches; and the wrist is 2.8 inches.



arm bones

The arm has three bones:

The humerus, which connects to the shoulder; and the ulna and radius, which connect to the wrist.



1. The special shape of the three arm joints

The humerus, in the upper arm, connects to the shoulder. It has a half-circle-shaped projection at the place where it connects with the shoulder blade. This big half circle helps the shoulder make big moves. The humerus is the biggest bone in the arm; the part that has flattened near the elbow is the epicondyle. It


has three important protuberances on it that connect with the cavities on the ulna and radius. Also, the protuberances on these forearm bones settle in the cavities on both sides of the middle of the elbow joint.

The bones in the forearm help the arm bend and extend. Extend your palm out in front of you, and the ulna will be on the inside, the radius on the outside. The ulna starts out thick and

bends slightly at the end. When you bend your elbow, the shape of the ulna can be made out as it pushes out. The radius is thick at the bottom and bends out slightly. When these bones twist, the forearm turns and the wrist rotates with it. The wrist joint can't turn by itself. The three bones and joints of the arm all have special characteristics.


arm muscles 2

The arm shows the muscles more than any other body part. The muscles that bulge the most are the deltoids, which cover the shoulders; the biceps brachii; and the triceps brachii. The other muscles are listed in the diagram.



arm surfaces

Pale hair grows here, and sometimes veins are visible. Extend your arm and the extra skin around the elbow turns into a mound of fine transversal lines. The skin on the tip of the elbow and around the wrist is thin and hard. The skin on the elbow is a little thick and rough. Also, depending on the clothes one wears, the skin may become tanned in places.



2. The muscles responsible for the prominent bulges

The deltoid covers the shoulder. The pectoralis major in the chest is also a shoulder muscle; the arm can make it transform. The slightly depressed area where the deltoid and pectoralis major come together creates a groove. In the back, the infraspinatus, teres minor, and teres major all stretch from the shoulder blade to the humerus. The upper arm has five muscles; three bulge visibly. Wrapped around the back of the humerus is the triceps brachii; the

biceps brachii is in front. The triceps brachii is so named because it splits into three. It starts above the elbow at the ulna and extends to the armpit and the shoulder blade. The biceps brachii, which splits into two, starts at the radius and extends to the shoulder blade. It can grow quite a bit; when the arm bends at the elbow, it distinctly bulges. The muscle starts on the inside and heads slightly to the outside. In the inside of the upper arm, the coracobrachialis extends from the middle of the humerus to just before the bulging part of the



shoulder blade, but it doesn't show on the surface.

The brachialis is diagonally below the biceps brachii on the other side of the arm. It connects the middle of the humerus to the top of the ulna. A complex array of muscles that control finger movements run from the elbow to the forearm. The pronator teres goes from the bottom of the humerus to the top of the radius. The brachioradialis and the extensor carpi radialis longus and brevis are found in the bundle of muscles that run along the outside of the arm from the elbow




to the wrist. These muscles create the biggest bulges in the forearm. Along the thumb are the abductor pollicis longus, extensor pollicis brevis, and flexor pollicis longus. The other fingers are controlled by the extensor tendon, which splits into four on the back of the hand; the flexor digitorum superficialis in the palm; the flexor carpi ulnaris; and the palmaris longus, which connects with the membranous tendons fanned out across the palm. Other muscles in the forearm include the supinator and the pronator quadratus.

arm movements 3


The arm moves in the shape of a fan, with the shoulder as the center. The shoulder may be considered ball-shaped in its movements, but when you consider gravity and the average range of movement, it seems more fanlike. The starting point of the fan becomes blurred because of the range of movement of the collarbone and shoulder blade. The range of the elbow is a fan or a half circle. Also, remember the arm's ability to rotate. A simple move by the arm quickly becomes complex when the shoulder and forearm rotate.



the rotational range of the shoulder blade and collarbone when walking



normal order of movement in a joint (concordant joint control)



reverse order of movement in a joint (discordant joint control)



difference in appearance based on posture

3. Blood vessels change shape as the arm is raised and lowered

Some people have arms with very apparent veins around the inside of the joints and in the forearm. The arm hangs down usually, and the blood flows that way, thickening the veins at the bottom. Raise your hand, and the blood thins out, leaving the veins difficult to see. The elbow changes the most with movement, but the

forearm can also change when the bones inside are twisting.

3. Concordant and discordant joint control

When the arm is conscious of something in the hand, it moves differently. When the hand is trying to get something, the starting point for its movement is known as discordant joint control. When you walk or do something else where the arms move

naturally, the movement starting in the shoulder is known as concordant joint control. All the body parts follow the movement of the adjacent part closest to the waist. For example, the hand follows the movement of the forearm; the forearm follows the upper arm; the upper arm follows the torso. Discordant joint control is when a body part moves against this flow.


When walking, the way the arms

swing and chest moves hints at a person's character. These movements reveal individual differences and special characteristics. A person who walks briskly with rapid arm swings, the chest out, and the fingers extended gives off a very different impression from a person who walks with the back slouched, the arms dangling, and the fingers closed in a fist.


arms as balancers ↵4

Arms can help balance by adjusting their own weight and shifting the center of gravity. The arms widen out and twist when the body loses balance.


the arms when a person is slightly off balance



the arms rotating to regain balance



the arms going into a protective posture as a person loses balance




arms as shields ↵5

The arms play all sorts of roles: they transport, search, attack, communicate—but most of all, they protect the face.



typical first defensive posture



typical final defensive posture

↵4. Two attempts at maintaining balance


To maintain balance, you can shift the weight of your arms in order to shift your center of gravity, or you can try to regain your balance by rotating your arms. The latter attempt is more out of desperation. Normally, when you cannot maintain balance by moving your arm, you try to grab onto something nearby. When that doesn't work, you rotate your arm as you try to recover your balance.

When even that doesn't work, you quickly extend your arm in the direction of your fall to create a cushioning effect. When you fall, your arm or leg may end up getting injured. In video games where the characters fight, this aspect is often eliminated; the characters fall in an unnatural way.

Imagine standing in a bumpy train without holding onto a strap. The arms become useful—not in protection, but in building momentum.

age/sex differences and left/right dominance

When a woman wants to look thinner, she tries to improve her posture and appearance by making her arms and legs look thinner and more beautiful. A “third leg” to old people is an arm and a cane. They put the other arm behind their waist. For many people, the size and development of the left and right arms differ. Because we favor one arm over the other—such as when we play sports like tennis, where one arm does most of the work—the difference in the arms is plain to see.



the “third leg”

The arms are also helpful in the broad jump when trying to elevate oneself, or in ice skating when trying to quickly spin. When landing in the broad jump, people send their arms back in a big motion to keep from falling backward.

↵5. The most important role of the arms: protection

People instinctively put a priority on protection over aggression. We react to even trivial difficulties with quick


precision. The arm instantaneously goes right in front of the head to protect it. Even if it's just a loud noise that surprises us, we hunch our shoulders. Also, when we step out into bright sunlight or water is spraying at us or a strong wind is blowing our way, we put both our hands up with the palms out and cross them to protect the face. When an even bigger danger is near, we crouch and clasp our hands behind our necks.

ranges of arm movements

Looking from above in (a), the arm can move 100 degrees to the inside and 50 degrees to the outside for a

total of 150 degrees. In (b), with the thumb extended, the arm can rotate 45 degrees in either direction. In (c), with

the upper arm directly down, the arm can move 170 degrees to the inside.



a The rotational axis of the arm as viewed from above

b The rotational axis below the elbow as seen from behind it

c Axis for the elbow as seen from the side

back & waist



Structure

Exploring the Construction of Human Body Parts

back & waist

The waist is essential for bodies that stand erect. It's where the body's actions start; the rest of the body parts follow its lead. The waist is a hard worker—it helps the legs rotate and the body bend. In contrast, the navel at the top part of the waist moves very little. The waist is the body's center, and if the center of gravity should slip far from here, a person will fall. The back is also the body's pillar of support. It has all of the elements necessary for people to stand. The back connects the waist to the head; it also supports the shoulders and arms, while the ribs protect the organs.


Related pages

p. 30 feet p. 36 shoulders p. 42 neck p. 48 chest p. 54 legs p. 60 hands
p. 66 arms p. 78 head p. 108 figure p. 114 shapes of action Part 2 (all) action

hip proportions


Example: 25-year-old female

The length from the bottom of the buttocks to the base of the neck is about 21 inches, and to the beginning of the rib cage is 7 inches. The hip bone is about 11 inches across at the top.




back bones 1

The spine is made up of 24 vertebrae. They are divided into the cervical, thoracic, and lumbar regions, moving from top to bottom. The spine connects with the pelvis, an area where the difference between men and women is great.



pelvis shapes 2

The pelvis is divided into the pelvic bone, which spreads to either side, the sacrum in the middle, and the tailbone below that. The pelvic bone, shaped like an open cylinder, is different in men and women. The holes at the bottom look triangular and point inward in a man; in a woman, they look circular because this is the path of the fetus in childbirth.



The spine works like a spring.

The waist is the key to depicting the human body

If you can vividly capture the movement of the waist, you will succeed in depicting the human body. If you can depict the waist, you'll be able to transmit to your audience the softness and suppleness of the body.

1. Construction of the back

The spine consists of 24 vertebrae. The top seven are called cervical

vertebrae. They bend forward. The next 12 are called thoracic vertebrae, and they bend back. The ribs start here. The remaining five are called lumbar vertebrae, which curve forward. The vertebrae have a complex shape with many bumps. They get thicker going from the cervical to the thoracic regions; they thin out going toward the lumbar area. Each vertebra has two lateral tubercles, a thorny tubercle on the bottom, a nodular upper joint above,


and, directly opposite, a nodular lower joint. Some of these protuberances can be spotted when a person bends his or her back; they are also bunched along the back of the neck. Each vertebra has little range of movement on its own, but the whole spine can greatly transform the body. The curve in the spine supports the weight of the head and protects the body from the impact of a blow.

2. Constructing the pelvis: the pelvic bone, sacrum, and tailbone

The pelvic bone comes together at the bottom, buffered by cartilage. The sacrum in the middle has many dents on the surface. Beyond that is the tailbone. Thanks to the process of evolution, we no longer need this bone; it's a remnant of the days when we had tails. To support the torso and keep us standing on two legs, the bones in our waist are bigger than those of four-legged animals.


back/hip muscles 3

A lot of muscles have to function together so that the spine can move in a flexible way. There are muscles that connect the waist and back; muscles that connect the waist to the femur in the leg; and muscles in the buttocks.



abdominal muscles 4

The rectus abdominis muscles cover the abdomen. The muscles begin at the center of the lower ribs and extend all the way to the pubic bone in the pelvis. The external abdominal obliques are on both sides; the internal abdominal obliques, which connect the rib cage with the pelvis, are farther in. The transversus abdominis muscles are even farther in.



3. Some muscles show their bulges; some don't

The iliocostalis lumborum, longissimus thoracis, and spinalis thoracis are all large muscles found deep in the body starting from the sacrum and around each vertebra. The muscles that connect the head and the spine include the splenius capitis, longissimus capitis, longus colli, longissimus cervicis, and splenius cervicis. In the middle are the longissimus thoracis and

iliocostalis thoracis. These muscles are in the middle of the back, but none of them can be seen on the surface. Short muscles in the neck include the semispinalis and multifidi. Some very short muscles that connect with nearby vertebrae include the transverse process muscle, interspinales, and rotators. This is all covered by the latissimus dorsi and the trapezius, which spread from both sides of the spine. These muscles show on the surface; it's

important to firmly draw their points of contact.


4. Muscles in the waist

First, the quadratus lumborum connects the pelvis and spine. Its chief role is to connect the waist with the femur in the leg. The big muscle on the buttocks is the gluteus maximus. The gluteus medius and the gluteus minimus are on both sides of the front of the abdomen. They chiefly deal with moving the legs to the

outside and fixing their position. The muscles extending from the tailbone to the femur include the pubic muscle, adductor longus, adductor magnus, adductor brevis, and gracilis. They chiefly move the leg to the inside. The iliacus muscle connects the femur, spine, and pelvis, and extends and contracts the waist. A lot of other muscles extend to the knees. Almost none of these can be seen on the surface, with the exception of the gluteus maximus and medius.

back/hip surfaces 5

The indentations in the back of the waist and the ridges formed by the muscles on the spine should not be overlooked. Through training, the muscles on the abdomen can stand out, but usually there is a lot of fat there, and the muscles can't be seen.



5. Bulges and indentations on the waist, back, and buttocks

The back has all sorts of bulges and indentations. Check the diagrams above for details on the indentations at the back of the waist or the bulges of the muscles along the spine. Also, pay attention to the smooth ridge at the end of the rib cage, the indentations along the navel, and the half-circle knoll on the lower abdomen. Bumps from the pelvic

bone can be seen on both sides of the waist, with small indentations running along the back. The shape of the buttocks is very different for men and women.


A woman's waist is vertically longer and the widest part is at the bottom. A man has big indentations on either side of his waist, and the widest area is higher. The abdomen also varies greatly, depending on body type. The end of the rib cage is

more pronounced on thin people; the lower abdomen stands out on fat people. The constricted part of the waist is on about the same level as the navel, in between the ribs and the abdominal muscles. A sharp indentation runs exactly down the middle from the chest to the navel. This area differs greatly from person to person. Remember that there is no bone in the abdomen—it's important to bring out its softness.




back/hip movements ←6

The back is the central pillar of the body, and the hips are the foundation. Once people began standing on two legs, the waist took on more importance.



points where the balance in the upper half of the body is controlled



supporting the body's upper half



diamond on the body's upper half




triangle on the body's lower half

getting out of a chair



1. Lean forward to move the center of gravity.



2. You can't get up without leaning forward.



3. Get the center of gravity around your waist and stand.

←6. Balancing the upper and lower halves of the body

When both feet are on the ground, you form a triangle with your lower half, which is indispensable to balancing. The line between the waist and the base of the neck is important for balancing the upper half of the body. Add the shoulders, and the diamond shape between the waist, shoulders, and neck is formed. The base of the neck and the waist at the legs move in nearly opposite

directions. If they moved in unison, you'd fall over. Keeping balance is probably the waist's most important task. If you ignore this subconscious ability to adjust the body's balance, you won't be able to create lifelike animation. Be careful to depict the flexing of the back and the tilt of the neck. With even a simple turn of the head, the angle of the back can change, moving the diamond.

Think of the back as a cylinder, and you'll see that it doesn't clearly tilt or

rotate in different directions. The back is very detailed and can bend quickly in any direction. But if the waist is set and there is no other support for the upper half of the body, the diamond's movement is restricted. Bend your back, and your waist will naturally adjust. To prove this, consider how you bend when standing. If you think that you just bend the upper half of the body and keep the lower half steady, you're wrong. Actually, as you bend, your

hips push backward. If they didn't, you'd fall. Watch from the side as a person bends over, and you'll see that the shoulders—not the waist—are at a right angle.

Protecting the center of gravity is an assignment levied to the waist and back; moving that center is their mission. When the back and waist can't keep balance, the arms help; they can control the center of gravity by moving in a variety of ways.


mouth



Structure

Exploring the Construction of Human Body Parts

The mouth is the biggest of the seven holes on the face. The nose, ears, and eyes all have two holes each, but there's just one mouth. For the eyes and the ears, which have to take in information from the outside world, the



mouth shapes and proportions

Example: 25-year-old female


The jaw decides the outline of the face. The rows of teeth control the shape of the jaw.

The male jaw is more robust; the female jaw is smaller.

Women sometimes have trouble

with their teeth coming in properly because of their small jaws. From the tip of the nose to the chin is about 3.5 inches.

There is about 1 inch between the top and bottom lips. The mouth is about 2.4 inches wide.



mouth muscles ❶

The group of muscles that make up the face's expressions can change the mouth in minute ways. Be sure to capture how an expression transforms the face.

❶ 1. The expressive muscles around the mouth

The temporalis and masseter muscles are in the jaw. For more detail, see page 80 of the "head" chapter. Here we will look at the expressive muscles around the mouth. The face has an intricate web of muscles on it, and the area around the mouth is the most complex. These muscles radiate out from the mouth's edges: the orbicularis oris, levator labii superioris, zygomaticus minor,

levator anguli oris, zygomaticus major, buccinator, risorius, depressor anguli oris, depressor labii inferioris, and mentalis. Also, the orbicularis oris encircles the mouth.

These muscles offer a hint as to how an expression transforms. They aren't the sorts of muscles that move the body or create power; they use just a little strength to move the skin on the surface and change the way you look.


❶ 1. Movement of the expressive muscles

These muscles move in a very complicated way. First, the jaw and the expressive muscles usually move in sync—when we talk and eat, especially. Try this simple test: Look in the mirror and, with your mouth closed, try to move your jaw without moving any of the expressive muscles. You probably don't look like you're eating. If you do the opposite—exaggerate the movement


of those muscles while you open and close your mouth—it looks more like you are eating. For example, when you chew something, you close your mouth, pull your lips in, and slightly narrow them. There's no space between your front teeth and your lips. The cheek takes the same sort of action. The movement is over in a second, so it's difficult to pick up, but it's good to keep that in your mind. Eventually, you'll naturally be able to see different movements as well.

inside the mouth 2


The expression of the mouth is decided by the rows of teeth inside and the jaw. The tongue can transform freely. When you are trying to depict it, think of *tarako* (salted cod roe).




inside the mouth—tongue



inside the mouth—bones




tongue



uneven teeth

teeth 3


There are 16 teeth on both the top and bottom (children have 10 on each level). The thin, sharp front teeth bite off food; the wide, flat molars grind down.



molars



surface of the teeth



2. Tongue and lips

From the side, it looks like the top lip sticks out further than the bottom one. The line along the bottom of the lower lip gently sinks. From the front, the indentation just below the nose looks like a V; the bottom of the V looks slightly swollen. The bottom lip lies gracefully; the part just below the middle of the lip looks as if it has been raised. The tongue is big and has tendons running lengthwise in the middle.

The inside of the throat has folds

on both sides along the top. The uvula is in the middle. In the far back at the top are the passages for the nose. Below is the path to the esophagus. The tongue can fold itself back and become like a lid on the throat, defending it from objects in the mouth.

3. Special characteristics of the teeth

Teeth have very long roots that are deeply imbedded in the gums. There are 16 teeth on the top and bottom

for a total of 32. Children have smaller jaws; they have 10 teeth on the top and bottom for a total of 20.

The front teeth are thin and sharp to bite off food; the back teeth are flat and wide to grind down food; and the canines are shaped like fangs for grasping and holding on to food. The jawbone is thick and extends to just below the ear, where it bifurcates. Remember that the space below the jawbone is open. There is no bone; it is soft, and fat easily accumulates here. Also the

movements of the tongue and cheek are detailed here.

The teeth have the dull, transparent sheen of enamel on them. The surface has little lengthwise wrinkles on it, giving the teeth a complex luster.

lips and skin around the mouth 4

When depicting the face, you can't forget the contrasting wet and dry places. The differing temperament of the skin and areas around the lips is important to capture.



4. A key point: the wet and dry places

The inside of the lip and the mouth is wet with saliva; the surface of the tongue is gritty. On the back of the tongue, there are two bumps and a sinew.


The only two spots on the face that are consistently wet are the eyes and the inside of the mouth. They are clearly of different substance than the other areas of the face. The area from the forehead to the bridge of the nose is oily. It is

sometimes shiny because of the oil secreted by the sweat glands. This is different from the clearly wet surfaces of the eyes and mouth. The fact that these places are wet means they can't be in constant contact with air. That's why the eyes blink and the mouth is usually closed.


The lips are easily chapped. Women usually put on lipstick or balm. Men often lick their lips when they are dry because it feels uncomfortable. The difference between the lips and the skin

mouth surfaces 5

There is a glut of tiny capillaries on the lips. The skin is thin, and the surface is sensitive. The inside of the lip and the mouth is wet with saliva; the surface of the tongue is gritty.



differing temperament of the lips



lip line

surrounding the lips is important to note in men, too.


5. Makeup and the lines of the lips

The outline of a woman's lips is complicated to depict. Women usually wear makeup, so there are many possibilities to consider: Do you create the two mountains on the top lip? Should the lips be full or thin? Will the lips be highlighted or more natural? In other words, the way you decide to outline the lips also decides

their shape and the mood they create. And don't forget to decide whether the lipstick will be matte or gloss.

mouth movements 6

Generally speaking, there are two sorts of mouth movements: the kind when the jawbone moves, transforming the whole face; and the kind where the expressive muscles make subtle changes in the skin around the mouth.




part that moves independently



inside the mouth, balance of the tongue and teeth

mouth shapes and characterization 7


A yawn indicates boredom. A slack-jawed look makes people seem stupid. If the mouth is slightly open, a person seems inattentive. A closed mouth gives the impression of wisdom and a strong will.



a woman's mouth slightly ajar



closed mouth



opened mouth

6. Movement of the bones in the jaw

Humans are basically omnivorous. If our teeth can cut the food, we can digest it. That's the way we are made. The front teeth cut the food; the back teeth grind it; and saliva dissolves it. The jaw moves up and down when using the front teeth; it moves from side to side when chewing with the back ones. Often, the jaw moves independently from the neck or head.

7. Is an inattentive woman's mouth open?

People yawn when they lack oxygen and want to replenish their supply with one big intake, but we still feel that a yawn is a sign of boredom. The yawn shows the range of movement the mouth is capable of—the average one lasts a lengthy six seconds.

Strangely, if we leave our mouths open, we give the impression of not

being smart. A closed mouth conjures up images of a strong will and intelligence. Normally, when we are not paying attention, our lips are closed but our jaw is slightly open. The tongue spreads out over the inside of the mouth, touching the back of the teeth. If we open our mouths ever so slightly, we appear approachable. This look is often given to a beautiful woman to make her seem friendly or to add to her


sexuality. The mouth has a lot of sex appeal, and some people try to cover it at times because they are bashful about having it seen.

The pitfalls of lip-syncing

Charts showing the different mouth shapes for pronouncing vowels or special sounds represent general standards. While they are important to learn, they don't really show the actual movement of the mouth. If you

tooth diagrams

Both baby and permanent teeth form curved lines on the top and bottom of the mouth. The permanent set consists of 32 teeth, as shown in the diagrams below. The teeth are symmetrically aligned from top to bottom and left to right.



begin to think that the mouth really makes those shapes when saying something, you may end up making animation where people just string those mouth shapes together as they talk, like a child lining up toy blocks.

One of the bylaws of animation when drawing human beings is that to create something natural, it is better to concentrate on reading the expressions that convey someone's feelings than it is to focus on each

syllable. The single letter "a" can be pronounced in an unlimited variety of ways; it's not necessary to conscientiously depict each sound. Take sounds that burst forth like "ba" or "pa," where the mouth moves the most. The only mouth shapes it is necessary to depict are when the lips come together for just a second and when the jaw opens.

Pronunciation should take a backseat to laughter, surprise, and

other emotions when it comes to drawing mouth shapes. If a character turns to the person next to him and says, nonchalantly, "Do you want to get going?" the lips move in a vague way. If you depicted the mouth saying each syllable as it is supposed to be pronounced, it would be a very frightening sentence. "Lip-sync" may be better characterized as "emotion-sync" because it is closely tied to expressions and feelings.

nose & ears





Structure

The nose and ears send signals to the brain as they provide two of the vital five senses. Because there are two ears, the brain can process sounds three-dimensionally. We would lose an incredible amount of information in a world without sound. It's like watching the TV without the sound on. With the nose, we can smell things from a distance and immediately infer when danger is near, for example. Even more importantly, the nose helps us breathe and regulates the temperature of the air coming into the body. The nose is an important organ, but it moves little and is rarely studied (it's liable to be omitted or abbreviated in pictures).

Related pages p. 170 looking back

nose/ear proportions

Example: 25-year-old female
The nose is about 3.15 inches long and projects some 1.18 inches from the face. The wings of the nose are about .79 inch tall. The ears are 2.76 inches long and 1.38 inches wide. The section of the ear connected to the head is about 2.36 inches long and 1 inch wide.



nose/ear geometry

The parts of the ear offer guideposts to understanding its boundaries. The shape and size vary greatly depending on racial and individual differences.


Caucasian type Asian type African-American type



types of noses by race




curling in from the wings of the nose



parts of the ear



nasal cavity



parts of the nose

1. The shapes of the nose and nostrils

The nose is in the center of the face, and it is the face's most prominent protuberance. It also casts a big shadow on the face; the nose abounds with different expressions depending on how the light hits it. The height of the nose is partially determined by race. Caucasians tend to have tall, thin noses; African-Americans have flat, wide noses.

The higher the root of the nose, the more the bridge seems sharp—a sign

of beauty. If the root is low, the face seems flat. The end of the bone is in the nose bridge; you can see a subtle change when it turns to cartilage. The tip of the nose has a slight indentation at the very end. The wings puff out on either side and their size can be altered. Inside the nostril, the backs of the wings flare out a bit. Notice that the line that begins at the end of the wing and curls back in continues up and toward the center of the nose. The shape of the indented area between the middle of

the nose and the mouth is also complicated. Remember to check the profile to see the height differences. The nostrils quickly connect with the nasal cavity. That's why they look dark inside.


1. Knowing the boundaries of the ear

The ear is a complex shape and subject to individual differences, making its characteristics hard to grasp even after studying it. Inside the ear, the eardrum captures the


vibrations from sounds. Deeper inside is an organ that controls the sense of balance. The ear we see on the outside is the umbrella that gathers sounds. The names of the ear parts are in the diagram above. While the names aren't that important for our purposes, the parts themselves are the guideposts to the shape of the ear. The lobule, known more commonly as the earlobe, completes the ear's outline; it varies greatly depending on the individual.

nose/ear cartilages 2


The bone in the nose only extends part of the way. The rest is cartilage. That makes it soft, allowing the nose to take on many shapes reflecting a person's mood.




cartilage in the nose



cartilage in the ear



ear muscles



nose muscles

nose/ear muscles 3

The nose has muscles that create expressions such as the nasalis, on both sides and toward the bottom, and the procerus, between the eyebrows. Also, a muscle that greatly changes the nose's shape is the levator labii superioris alaeque nasi, on both sides and running along the upper part of the nose. These muscles do more than change expressions by creating wrinkle after wrinkle; they also allow the nostrils to open and close.

There are practically no muscles that move the ears.

2. Cartilage creates the shape of the nose and ears

The skin on the nose is thin, and the cartilage inside is almost the same shape as the nose. In a nose with a well-developed cartilage, a ridge develops and it looks as if the nose has two levels. The cartilage is soft and can change the nose's expression as well as its shape, but the part with the bone cannot move. The skin around the nose pushes up

against it and sometimes creates bumps. Typically, once an expression changes, the skin on the surface of the nose becomes hard and adds liberally to the expression.

The ear has no bone and thin skin. The cartilage creates the ear's shape. There is no cartilage in the earlobe.


3. Only a few people can move their ears

On both sides of the head at the base of the ears, the auricularis anterior, superior, and posterior muscles are found. People who can manipulate these muscles and move their ears are a rare breed. More typically, the ears move because the mouth has been opened wide and closed. In other words, it's the influence of the jawbone. The earlobes are influenced the most; the top part doesn't move much. For


those few who can move their ears voluntarily, the upper part of the ear moves the most.

nose/ear surfaces

The nose, especially the tip, is an oily place that sometimes has a shine to it. The surface of the ear is covered with lots of tiny hairs. The skin is thin, and blood vessels can be seen.



adult's nose



child's nose

wearing eyeglasses 4

To create a person wearing glasses, you have to precisely understand the placement of the ears and nose.



placement of the ears and nose

4. Glasses tell us about the placement of the ears and nose


If you aren't clear about the whereabouts of the nose and ears, you won't be able to put on your glasses. The glasses sit on the bridge of the nose, and the handles extend to the ears. The handles are usually horizontal and parallel, and while the length is up to individual preference, handles don't vary that much.

nose/ear movements 5


The ears can't move on their own. They move when the head tilts to hear something. The nose doesn't seem like it moves, but it is teeming with expressions.




smelling and expression




different ways of hearing



rejecting a smell



nose wrinkles



difference between humans and animals in range of senses

5. Ear movements are head movements

Consider the act of straining one's ears. The head lifts slightly when trying to take in the surroundings or hear a sound. If we are trying hard to pick out sounds, we lower our head. If we are intent on hearing a faint sound coming from one direction, we tilt an ear in the direction of the sound, trying to bring the ear closer to the source. On top of that, when people put their hands near their ears, they are usually not trying to

hear better; they are trying to hear anything at all, or they are making a sign that they want to hear something repeated. An invisible action like hearing sometimes calls for a dramatization, like using the hand to exaggerate the process.

There is one more hearing action that can't be overlooked: losing one's focus. In other words, usually when we are trying to hear something, we don't see anything. As we listen, our line of vision turns to the sky. We sometimes subconsciously let our

line of vision float here and there, but basically, when we are listening to something, we stop looking.

Separating the sounds we want to hear from the sounds we don't


When we hear a sudden burst of sound, we quickly turn toward the source. The ear is usually open to sounds from all directions; it separates the sounds we want to hear from the other sounds we can hear. Unless a very loud sound

continues to drown out everything else, people don't press their hands against their ears. But if we are enduring a loud sound, our mannerisms show it right away. The shoulders flinch; the face grimaces; the head moves to the side and down.

Objectively, it is hard to tell whether a person is listening or not. But when people try to listen to something, they commonly turn from their previous line of vision and stay quiet and still.

hair structure

Hair ends are fine. They draw nutrients from the blood vessels at the root of the hair. The surface is full of oily membranes, and there are sebaceous glands at the roots. Melanin, produced by pigment cells in the epidermis, gives hair its color.



hair surfaces


Magnify a strand of hair and you'll find scaly bumps heading out toward the tip. This makes it easy for sweat and oil to glide down the hair. The texture and feel of hair differs greatly from person to person, as well as depending on what part of the body it is found.



straight hair



frizzy hair




wavy hair




head hair surfaces 2

Head hair is covered by scaly cuticles. If the condition is bad, the hair creates split ends at the tip or the strand breaks off in the middle. The part of the surface with the oily membranes that shines is called "an angel's halo."



eyebrows 3

Eyebrows are not quite .4 inch long. One eyebrow has about 700 hairs. A lot of people alter their eyebrows, especially women, who lightly shave them and change the shape with an eyebrow pencil. The skin below the eyebrow moves a lot because it is closely tied to the face's expressions. Moving the eyebrows can exaggerate the expression in the eyes. The eyebrow follows the path set by the fine hairs in it. The hairs from the bottom and top meet in the middle and push out.



eyebrows

eyelashes 4


Eyelashes are about .5 inch long. One eye has about 170 lashes. About 70 grow on the bottom eyelid. They curve outward to prevent them from entering the eye and are quite strong.



eyelashes

beards and mustaches 5


Beards and mustaches grow in many ways. Some people only have facial hair under their nose; others have it also on their jaw; still others have cheap-looking beards that make them look like a criminal. There are all sorts.



beard

nose/ear hair 6

Nose and ear hair is not often seen from the outside. Like eyelashes, these hairs keep dust and grime from entering the body.



nose hair

oily membranes on the surface, the hair can show a radiance that is full of expression when it moves.

Hair changes color through dying or for natural reasons. Hair can be dyed all sorts of colors. It can also be manicured, or treated with slightly colored gloss. This gives the hair a tinted sheen when it's in the light. White hair is semitransparent, and it looks silver when it shines. It looks like a nylon fishing line. Don't try to express head hair in one color. Just

like hair length, hair color can vary widely.

2 3 4 5 6. The many roles of hair

The shape and role of hair depends on the part of the body it occupies. Some hair protects the head from impact. The cycle for creating hair lasts a long time, which is why the hair continues to grow out. Hair also insulates the body. Armpit and pubic hair is thick and curly, making it more


effective in absorbing impact. It is said that the more important the body part, the more likely it will be protected by thick, curly hair. Nose and ear hair keeps out the dust and grime in the atmosphere. The eyelashes take action before dirt or hair gets in the eyes. The eyebrows keep sweat from the forehead out of the eyes; they also shade the eyes, improving vision. And they play a big role in facial expressions.

Skin and hair draw people's

attention. They can be embarrassing or a source of pride. While some people may wear beards proudly, others may shave their underarms or legs to get rid of hair. With skin as well, some people like to attract attention by exposing flesh, while others may try to conceal themselves in their clothes, revealing little.

troubled skin ←7


Skin is very delicate. Troubles such as tender or rough skin differ among individuals, genders, and age groups. There are too many skin blemishes to relate here, but they include acne, age spots, dull complexion, moles, clogged pores, and beauty marks.



rough skin

aged skin

Aged skin is especially susceptible to wrinkles and age spots, as well as bumps created by clogged pores and color changes. The surface of the skin becomes just like the skin of an orange.



aged skin

close look at skin ←8

The skin's surface is made up of little triangular or pentagonal ridges or bumps that surround the skin. This is

the grain of the skin. When the grain is neatly aligned, the luster of the surface is more unified.




grain of the skin fine



grain of the skin rough

surface changes on the shin



suntan diagram

skin colors

The skin is slightly transparent, so the colors below the skin and the blood vessels can be seen. This gives the skin more expressive power and fills it with a color that is deep and seems almost self-luminescent.



skin changing color white



skin changing color black

The skin turns dark because it releases more melanin pigment to protect the skin cells from harmful ultraviolet rays. That's what happens during a suntan. The lines between the exposed skin and the rest of the body are very clear.

←7. The source of rough skin

Skin can easily turn rough on the face, the middle of the chest, the shoulders, the back of the neck to the shoulder blade, the palms, the shins, and the bottom of the feet. Rough skin can come from many sources, including spending a long time in the sun, stress, diet, shaving off extra hair, and hardening in the open air.

Color changes don't just happen

because of time spent in the sun. Taking scrupulous care of your face may result in making your face slightly lighter than other exposed parts. With women, the neck is especially likely to be a different color than the face.

←8. Depicting changes on the skin surface


The skin surface has minute

wrinkles on it—this is the grain of the skin. Healthy skin is said to have a fine grain, but it isn't actually fine or narrow; it is more orderly and uniform in appearance. The skin has oily membranes that allow it to reflect sunlight, but the grain diffuses the reflection, giving the skin a complex, soft look. Women have a finer grain to their skin. Men have a rougher, more disorderly, and intricate grain.

Depicting the skin is difficult. Make it too shiny and it will appear hard; too many wrinkles will make it look dry and reptilian; bring out the veins and the colors beneath the skin and you risk creating something grotesque. Naturally, the fine hairs keep the boundaries from being clear.

veiny skin areas 9

With white skin, the epidermis is somewhat transparent, and the veins and colors below come through to the surface.



9. Vein protuberances

Blood can collect in the veins along the forearms, hands, or tops of the feet, bulging against the surface of the skin. The face tends to be lighter because we take care of it every day; it is a noticeably different color than the neck. We don't fuss much with our neck and ears, so the ears' downy hair and the wrinkles on the neck appear as they are. Veins can

be clearly seen in places where the skin is thin like the forehead and around the eyes, the neck, the backs of the hands and tops of the feet, both sides of the hips, and the insides of certain joints.

Swelling in the bath

When we take a bath, our fingers swell. Actually the rest of the body also swells. The fingers get waves of

flesh on them because the nails stay unchanged and the extra skin gathers on the other side. The skin is very soft and can adapt to all sorts of conditions.

face



Structure

Exploring the Construction of Human Body Parts

face

The face distinguishes individuals. Age and experience are etched in wrinkles and bones degenerate, but the personality expressed in the face remains. Facial expressions communicate various information, change in many ways, and are virtually impossible to classify into patterns. Changes are reflected in the character, emotion, environment, and present circumstances. Facial expressions are either encoded (intentionally shown) or unconscious (unintentionally shown). The former resemble a mask that can only be confirmed through a mirror, while the latter are instinctive and natural and can be seen within the former. This chapter explains the facial shapes, movements, and mechanisms.



grasping the facial shape 1

In creating facial expression, it is important to understand facial shapes. If you quadrisection the head, the face covers the lower front part. The cheeks are included with the eyes, nose, and mouth in an inverted triangle on the front. Grasping the facial

shape from the cheekbone to the chin and the curvature from the middle of the forehead to the temple can be done by substituting them with simpler planes. One should pay less attention to the eyes, the nose, and one's personal sense of beauty. Rather,

extra care should be given to the difference between the slope down the forehead and the nose by connecting the inclination from the mouth to the chin with a curved line. A depression extends from the nostrils to both sides of the mouth. Also, the brow extends forward to

create a shadow over the eyes. It is best to use a middle-aged person's face to easily understand the skeletal structure. The values below are based on a 25-year-old woman.





simplifying the planes



Shadows highlight the bulge of the brow bone.

curves in the cheek



slopes of the face


1. Standard shapes are not appealing

Standard facial and body shapes have no special appeal. The wrinkles in the eyes' corners express depth of experience and geniality. A penetrating look communicates a firm

presence and the force of will. Flaws add flavor to a person's uniqueness. The face reveals a person's age, gender, race, character, and emotions, which become the ultimate means of expression.


bulges on the skull 2

The eye sockets in the skull are hollowed out. They are big enough to range from the lower brow to the cheek. Also, protuberances can be found along the plane of the nose and cheekbones.




facial muscles 3

The main muscles of the face are in the nose, mouth, and eyes. If you focus on muscles that change expressions, the busiest are the ones that move the brow and the upper lip.



skin masses and wrinkles



2. Protuberances on the head caused by bones

The hollowed-out eye sockets in the skull go from the lower brow to the cheek. This part runs up against the dent at the corner of the eyes. You can feel the curving bone between the corner of the eye and the brow. There is no bone at the temple. The flat area below the eyes gently blends with the protuberance at the nose. The flat surface that joins

with the cheekbone juts out at an acute angle on both sides, then extends in a complex form toward the ear. The frontalis muscle is settled inside here. The dent below the cheekbones connects to the gums. The complex lines of the nose connect with the cartilage, and just below the nose is a big protuberance that connects with the teeth. From the front, both sides of the jaw follow the lines of the head and turn inward.

The line of the jaw heading for the chin tends to go in rather than up. The bottom of the jaw has no bones; the bones on the top of the mouth are complex.

3. The procerus and corrugator supercilii muscles between the eyes and the frontalis muscle in the forehead affect the eyebrows.

When the eyebrows move, they exaggerate the expressions of the

eyes, although the effect is temporary. The frontalis covers much of the forehead; it provides the eyebrows' vast range and mobility. They move in a delicate but swift way. Rarely do eyebrows move slowly.

These same muscles help the upper lip rise, a common action that is seen most readily in a laugh. Both lips are pulled up and aslant, and at the same time, the upper lip rises,

highlights and shadows 4

We use cosmetics to emphasize the three-dimensional aspects of our faces. For the parts we want to make more prominent, we use highlights or eye shadow. When we want to bring out depth, we use shadows.



revealing the front teeth. The nose also changes shape, and wrinkles appear from the wings of the nose to the mouth. When the mouth changes shape, the nose and cheeks follow suit. Skin stretches flexibly, but it doesn't shrink, so when one part is stretched out, there are bound to be wrinkles somewhere. When we laugh, the mass of skin on the cheekbone stands out, and wrinkles run down from both sides of the


mouth. However, skin will not always be pulled in the direction of the muscles. The mouth is never pulled directly to the side, and the eyebrows also don't move to the side.

4 5 6. The role of cosmetics

Women's skin is lighter and softer than men's. Cosmetics can be very important for women. They take exceedingly creative actions like


multiple layers of the "second skin" 5

Toner is applied to the face, followed by moisturizer and foundation. Also, face powder makes the skin's grain appear finer. The female face has many layers.



cosmetics for selective emphasis 6

Cosmetics can be divided into two general groups: those that are used to hide trouble and those that are used to bring out features or texture, emphasizing or adorning certain parts.



shaving their eyebrows, then using an eyebrow pencil to fill in the shape the way they like. Women use toner, first, to prepare the face; then moisturizer, which keeps the other cosmetics in place; then perhaps a concealer here and there to cover trouble spots; and then foundation, which is spread on the "canvas." To make the skin grain appear finer, they use face powder. They also create shadows with eye shadow and other

cosmetics, use highlights to draw out certain elements, and apply blush to the cheeks to give them more life. A woman's "second skin" is made of many layers. On top of all of this go eyeliner, lipstick, and mascara, which emphasize certain parts.

when the mouth is opened/closed 7

Open the mouth wide, and the jaw will stretch into the extra skin below. One of the special characteristics of the jaw is that when it opens wide, it creates a bulge just in front of the ear.



facial parts under motor control 8

Facial parts that look as if they move voluntarily include the sides of the mouth, the end of the upper lip, the wings of the nose, the base of the eyebrows, the upper and lower eyelids, and the frame of the lower jaw. Parts that move under motor control give the important impression of individual volition.



7 8. Facial movements

The biggest movement in the face is done by the jaw, but unless we are singing or eating, the jaw doesn't move that much. When we talk, most changes are around the mouth. The eyes move in a more agile and lively way. Consider the wink, for example. Even with a small change in the eyes, the eyebrows move, and the cast of the eyes is set.

The softness of the cheeks is

emphasized when the face moves. The cheeks stretch, gather, and form wrinkles—they work in concert with different expressions. They do not look like they can voluntarily move. Parts that look like they do move voluntarily include the upper eyelid, which unconsciously blinks. The lower eyelid sometimes moves in ways untied to emotion, but it is also important in creative expressions.

When the lower jaw moves in a big


way, the shape of the head is also greatly altered. The movements of the lower jaw probably create the biggest lag between the bone structure and the skin.

All expressions are affected by emotions, and every activity occurs in a chain of actions. For example, we open our mouth wide when we yawn. We don't only open our jaw widely; the sides of our mouth rise in a diagonal fashion, and the upper lip is

raised as much as possible. When this happens, muscles around the upper lip contract, and the eyebrows—connected at the other end—naturally are pulled down.

facial asymmetry

We have to pay attention to the face's asymmetry when dealing with its shape and expressions. The two sides are not mirror images; even facial expressions have clear differences from the left side to the right. Depicting the face is key to infusing a character with life, which makes these minor differences of increasing importance.



habitual expressions and postures 9

People have completely different facial expressions. The point is to bring out as much as possible the characteristics of each person's facial shape and look.



earnestly worrying



thinking lightly about something



The skin changes because of the hand.

Peculiarities of the face and eyes share the same focus.

The face has many peculiarities. For example, when we are angry or we want to make our opinion clear, we look the other person right in the eye. The eyelids move in unison with the eye. The peculiarities of the face and eyes share the same focus in this instance. That's because the face, which takes in so much information, always goes toward the source of

that information. If there is a loud sound, we turn our head toward it. If someone nearby is drawing our attention, we turn to that person. If danger is near, the face also tries to protect itself.

9. Capturing expression changes

Changes of expression are diverse, but when one does change, it changes all at once. Unless there is

some special exception, the mouth doesn't go into a laugh before the eyes. Expressions transform in a hurry, like water pouring out of a cup. Of course, our expressions don't just affect our faces; they affect our whole body.

Expressions are not always beautiful, nor are they simple. Impassive looks, for example, create different impressions, and no two people have the same smile. The goal

should be to bring out as much as possible the characteristics of each person's facial shape and look.

figure



Structure

Exploring the Construction of Human Body Parts


figure

Figures change over time. In many Asian countries, for example, one big reason for this is the change to a more Western, high-protein diet. However, it is also caused by a general decline in muscle strength. For example, as muscles accumulate during a growth spurt, they compress the growth of bones. Looked at a different way, if muscles weren't involved with bone growth, bones would grow at a faster rate. This supposedly stylish and desirable appearance is not trouble-free. Muscle strength and physical stamina are tied to our spiritual condition. Without physical stamina, our drive and energy are difficult to maintain.


Related pages [Part 1 \(all\) Structure](#) [Part 2 \(all\) action](#)

being well proportioned


When depicting the human body, choose from one of the methods for regulating its many proportions: the module, percent, or golden section method. The module method takes one section of the body and makes it a module, then uses that module to measure the whole body. A common module uses the head as the standard measure. The body is said to look best when drawn as eight head lengths, but it is actually seven head lengths plus a little extra. The percent method starts with the whole body equaling 100 percent. The golden section method uses a ratio of 1:1.618 to draw the human body.




Connecting the apex of a rectangle with an inscribed line known as the golden mean



Golden Section Method




Percent Method



Module Method

sex differences in body shapes 1

When we enter adolescence, the male and female figures begin to differ sharply. Men develop hard lines from their muscles, while women develop rounded, pliant lines because they have more fat content.



1. The complex muscular bulges of a man's body

Men are more muscular and have more bulges on the surface than women. Bulges appear at the base of the neck at the shoulder because of the trapezius in the back. In the arm, depending on which way the forearm is twisting, the outline of the muscle changes. Let the arm hang down and stretch out the fingertips, and they'll reach to the thigh. When you look down at the knee, you'll see that it is aligned slightly behind the center of the foot. Notice that from a side view,

if the man is standing, the heel is slightly behind the rest of the body. The parts thrusting forward the most are the chest or the belly. The shoulder blade juts out in the back.


1. The soft, flexible lines of a woman's body

Women are generally rounder and have softer lines than men. Their muscles don't really stand out. The hypodermis creates these soft lines. Women tend to be shorter than men; their hands and head are also

smaller. If men are about seven head lengths tall, many women are somewhere between six and seven. They usually have sloping shoulders, and the base of their neck doesn't bulge like men's do; it gently gives. With the exception of the feet, few muscle bulges can be found. Women's bone protuberances are similar to men's. Women's hips are bigger, and the shape of their buttocks and hips differs from men's.


flexing/extending the elbow

When the elbow is extended, the wrinkles draw near, and the indentations on either side of the bone can be seen. Flex the elbow, and the skin is stretched as the bone juts out.




skin between the thumb and index finger

The skin between the base of the thumb and the palm changes dramatically. It is linked to the movement of the thumb. Sometimes it looks wrinkled and tense, and at other times it can look like a web of skin.



twisting the forearm

Two bones cross when the wrist rotates. Bulges appear in a corkscrew pattern on the arm, as if the bones and muscles were wrung out.



As the forearm rotates, bulges appear in a corkscrew pattern.

moving the hand

When we open and close our hands, the surface of the forearm goes through minute changes as the muscles below move. Make a fist, and the forearm...

sex differences in hip shapes

When the legs stretch out, indentations appear at the center of both sides of the waist. The change is more striking in men. When a leg...




skin folds in the abdomen

The belly usually has a lot of superfluous flesh. When the upper half of the body bends forward, more and more wrinkles approach the area around the navel. Excess flesh gathers in the lower abdomen, creating a strong line at the base of the leg.




deformation of knees

When the leg is stretched, the kneecap forms a protuberance, but when it is bending, the kneecap moves lower and the bulging disappears, leaving the surface smooth.




adducting/abducting the legs

Open the legs wide and muscle bulges on the inner thigh are visible. Close the legs, and the flesh gathers in the middle of the thigh. If there is a lot of flesh, wrinkles develop on the crotch.



deformation of legs in seiza posture

Sit in the *seiza* position, with your lower legs and feet tucked under your thighs and buttocks, and the thighs spread on either side. The top part forms an arc. The calves spread out in the same way. The indentations on either side of the knees disappear the more the knees are bent.



toes and tension


Extend your feet and your toes will naturally curl. Raise the toes, and you can see the tension in the muscles on the top of your foot. The surface of the shin also moves a little.



Extend your foot and the toes curl naturally.

backs of knees


Muscles bulge visibly on both sides of the back of the knee. Bend the knee, and the muscles become tense. Many wrinkles appear here.




back of the knee

coordinated movements of body parts 3

Raise the arm straight up, and the chest will tighten. To rotate the arm even higher, the spine helps out by bending backwards.



the way the body transforms when raising an arm



the way the body transforms when raising the heels

3. Bulges on the ribs when an arm is raised

Begin to raise an arm, and the spine will bend backward. At this point, parts of the rib cage become visible as they are being pushed out. The muscles in the back tense up, protruding in an area above the waist. Even if the head doesn't move, when the arm is raised, we instinctively draw in our jaw a little. The collarbone moves inward; the

shoulder blade moves to the outside; and the shoulder moves all the way to the side of the head.

3. Movements are all related.

The high heels example above is one of many that show how movements are linked. Even little movements are connected in complex ways, and ignoring those connections will result in movements that look unnatural. Gravity is an

important characteristic of movement that should not be forgotten. Also, remember that when moving a part to the limits of its range, other parts will help it out.

When we take one action, other actions are often taken to help the first one. When we get up, we stand on our legs and use the weight of our legs to lift our torso. We react as we rise. When we jump, we extend our arms backward and swing them out,

making a higher jump possible.

Actions largely occur in three phases: preparatory actions, the main action, and follow-up actions. There are also times when preliminary actions—well before the three action phases—and adjustment actions, which help bring the body back to a normal posture, are called for.

Part 2

Action

Exploring the Mechanisms of Body Movements

Once you've grasped the structure of the body, it's time to move to the excellent teachings of animation production on the subject of human movements.

Capturing these movements is not the work of cell animation, with its simplistic sets of signals. It's very complex, and each little movement is linked to create bigger movements. Also, it's not about capturing the most superficial aspects of movement. It's about finding the reason for the movement—is it a physiological reaction, is it a spontaneous reaction, or is there no motive at all? In Part 2, we will introduce and practice many basic movements.

0

lying down ❶

The action starts with a person lying face up and still. The body,



30


shifting the body weight ↻3

The legs, which looked like they were about to float into outer space, are bent. One is especially bent, stabilizing the lower half of the body. By making the body shorter, the legs shift the center of gravity higher.

40

stabilizing the balance ↻4

As the upper half of the body rises, the center of gravity drops. The arms brace for the next action as the hands touch the ground.



50

preparing for the thrust up ↻5

The arms and the rest of the body coil like a spring to create the vigor needed to lift the body up.




60

insecure departure ↻6

At first the legs are floating. Then most of the body weight is transferred to the right leg. Both arms are also helping out. To maintain balance, the left leg quickly bends back to be closer to the waist.

The right leg decides on a spot to settle and support the body weight.



The left leg quickly moves to help the right.

strength, but the legs have yet to go beyond bending. The bottoms of the feet are about to push against the ground. The hands are doing little at this point; the burden falls to the elbows. As the body weight shifts, the neck is still exerting strength.

↻5. Preparing for the thrust up

The body is almost vertical; the back is rounded. The arms exert themselves to shift the weight of the body onto the right foot, and the

hands press on the ground. However, the palm doesn't do the pressing; the strength of the hand is amassed in the five fingertips. The forearm tenses up as the fingers exert themselves. The head tilts slightly down. The shoulders spontaneously rise a lot. The left foot also shows a little tension. The right foot adheres to the body, and the heel is firmly planted on the ground below the waist. This is the instant when the person begins to push herself off the

ground.

↻6. Insecure departure

The right hand begins to move forward to counteract the coming shift in balance. Both legs are straining now, and the bulging muscles are clearly apparent. The right leg is fully folded, which means the thigh is not that strained, but the calf and Achilles' tendon are working hard. The upper half of the body is about to propel itself forward. The

right foot has already settled on a position for supporting the body, and the right hand is also supporting the upper body, but overall, the body is still unbalanced. Compared with 10 frames earlier, the left leg has moved quite a bit. The hips have been lifted just a little, but we are getting a sense of just how difficult it is to do this. This is the most dramatic stage of the action.

70

ready for the action 7

We've seen the first half of the action up to now. Both feet find their places and support the weight of the body.

90


balance secured but posture still not

The body weight is nearly stabilized, and the feet are fully supporting the whole body. The right foot is slightly behind the left with the heel raised.

100

now standing but still awkward

The posture is still incomplete. The left foot is supporting the body weight. The arms grope for a comfortable position. The right foot is slightly off the ground.



80

body starting to get up 8

The waist separates from the feet as they begin to lift the upper half of the body. Both arms try to maintain the body's balance.

The body leans as it returns to a standing position.

7. Ready for the action

The right hand is extended forward to maintain balance. The left hand is still pressed to the ground to keep the body from falling to the side. The arms are fully extended, but they are not exerting that much strength. The shoulders are slightly shrugged and leaning forward. The jaw is jutting forward as much as possible. The line of vision has dropped to the ground. The legs and stomach have a little leeway; they are resting before they begin the next action.

8. Body starting to get up

As the body starts to get up, the left hand leaves the ground. The left leg is very strained, and the right leg is supporting it. The thighs are also straining. The back is straight; the shoulders are raised; and the protuberances on the collarbone are clearly visible.

9. Final adjustments

The waist and upper body have moved back. The left arm looks as if it has been thrown to the side. The right

arm moves in the same way, but it stops close to the body. The back muscles straighten as the upper body rises.

10. Fixing the posture

The arms, having been flung aside, consciously come back to the body. As the back muscles stretch, the shoulders relax and gently slope downward. The neck is extended and finally holding the head in a fixed way. The center of gravity has returned to the middle of the body,

and the knees are slightly bent the other way as the legs stand straight. The standing posture is complete. It is different from the previous positions in that it can be held for a long time. It's comfortable. The action is completed.


Becoming dizzy when you stand

When you stand up fast, you sometimes feel dizzy or get a headache. In this case, one hand begins to search for something to

110

final adjustments ↩9

It's time for the final adjustments. The right leg is still held aloft. The waist has settled into its final position.



120

fixing the posture ↩10

After standing, the final step is to fix the posture to enhance one's appearance. The right leg is now aligned with the left.

grab onto, while the other presses against the head. We see this more in women, who tend to have lower blood pressures than men, and very old people. When humans went from being quadrupeds to bipeds, the head was more than twice as high. This caused some big reactions. For one, dogs and other quadrupeds don't suffer from vertigo or dizziness like we do. Most people can remember getting into a car or roller coaster and feeling sick, as your innards seemed to float. The restrictions of

gravity affect our inner organs and our blood flow, showing us anew how hard it is to oppose this force.

Keep in mind the following movements

Getting up is a visual activity that hints at more to come. As a sample, we've covered an action that begins and ends in still postures, but generally the person will begin to walk or commence another activity.

The weight of the body's different parts can feel like shackles at times,

but when used correctly, these parts can also make exercises easier. When our posture is low, our arms reflexively push against the ground and spread to the sides. If we aren't standing in a perfectly erect way, the feet will move forward or back to find the best way to maintain balance. This allows the legs to maintain balance in all directions. The feet, which are the basic supporters of the body's weight, adhere to the ground, or one of them has its heel raised in anticipation of the next move.

Keeping balance while trying to rise is difficult, which is why this is a disorderly movement. But the basics don't change: The head looks up; the stomach muscles raise the upper body to a certain degree; the arms kick in; the weight of the hips is borne by the legs; and then the legs raise the whole body. When stringing the act of getting up with another action, remember to consider the way the actions influence each other.

0

sitting postures ←1

All of the body's weight is deposited in the chair. The buttocks are flattened out. Excess flesh hangs down from the thigh, which is just off the chair seat. The hands have

the closed legs
of a woman



7

initiating the action ←2

This is when the person is about to stand. The bottom half of the body has yet to change, and the upper half is just


leaning forward a bit. This act of bending forward doesn't require strength; it can be easily restrained by a single

straightening the limbs 3

The legs have almost successfully completed the task of supporting the body weight. All that's left is for the upper body to straighten up. The body formed a "4" before; now it forms an "S."



bending in an "S" shape while maintaining equilibrium



how the arms sway from front to back

The arm falls straight down.

The waist pushes toward the front.

The shoulder is pulled back.

putting things in order

The body weight has been stabilized, and the feat of standing has basically been accomplished. Some of the joints are still a little bent, and the chin is still thrust out. The back muscles are not yet fully stretched out. When someone stands up with force, the back bends backward, the knees are more bent, and the chin is pulled in.

finishing the action

The chin is drawn in; the back is extended. The knees are also fully extended. The body has reached its final position, but from the side, it looks like it's slightly curving. The arms are arranged at the sides. Standing is exercise for the body's frame. It's a posture with a lot of special characteristics, and we need to probe enough to know which muscle is tensing up and what is being supported by the bones.



the standing posture



3. Straightening the limbs

The arms have finished their role; they hang at the sides. When rising energetically, the hands go toward the inside. Once the body has risen, the hands bump into each other in the middle—briefly forming a half circle, and then returning to their respective sides. Even when they don't hit each other, the hands cross over each

other and return like a pendulum.

Often, body parts that aren't being used in a certain action tend to be disguised as just so much heavy matter. But reactions, habits, and related physical images are very important characteristics when it comes to expressing movement. Information about the feel, weight, thickness, and range of body parts is

essential.

When creating images of people swaying their forearms while standing, keep in mind that when the arms swing forward, the emphasis is almost all on the action of the forearm. The elbow is slightly bent at this point, but when the arms swing back, the elbow straightens. At this point, the forearm's range of

movement is complete, and the shoulder continues to swing the whole arm back.

49

going insecurely for the seat ↵5

Time to sit down again. Before doing this, a person would definitely check the chair. At this point, most of the body weight is still supported by the feet, so the person can still stop the action.



checking the chair

56

letting the body fall ↵6

The shape of the body is similar to the "4" when standing up, but the parts that are straining and the direction of the movement is completely different.




parts that are working the hardest

63

finding the seat ↵7

At this point, the hips haven't decided exactly where they will sit. Usually they go for a preliminary spot, rather than the one they will later settle into. The person's weight has not yet hit the chair, but, even with exertion, the body can't rise again.



The head stays level.

The head maintains balance.

70

getting seated

The person has now been seated. The whole body quickly relaxes. The body is still leaning awkwardly. The hands are still on the knees; they have nothing to do. Once the legs relax, the weight rests on the waist, and the buttocks and thighs are flattened out.

77

finishing up

The full weight of the body is in the chair, and we are back to the starting position. The back is straight and stable. The legs are relaxed. Both arms are in front. The waist and hips are supporting the upper body.

↵5. Before sitting in the chair

Before sitting, the person looks at the chair. She checks because she'll fall on her backside if there is no chair. When we stand, we sometimes do so in an energetic way. This is never the case with sitting (with the exception of sturdy sofas or other chairs we can jump into without falling).

↵6. Sitting posture

When sitting down, the chin, which has been wholeheartedly thrust out, is pulled in a shade. The arms also strain a little, and the muscles in the legs are tense. When the weight of the body is on the heels, the toes are suspended in air or pointing up. The muscles in the thighs are tense as they work to steady the legs. The back is bent.

↵7. Head movements when finding the seat

The head cautiously stays level; it's built to adjust quickly if the body should lose equilibrium. The head is not only an information processor, but also a balancing device at the top of the body. If you turn your head when standing, your body will naturally follow. When the head moves, the waist works as an axis to counter that move.

Actions differ from chair to chair

The actions of getting up from a chair and sitting down resemble each other, but they are totally different. The body lines are also different. When standing up, we try to stand in an energetic way. When we sit down, we try to eliminate any overly energetic movements. Getting up and sitting down are very frequent actions, and of course, they are very important. Note that the actions are

84

settling down


The slightly sloping back slowly settles against the chair. The head is slightly thrown back and the chin is slightly drawn in. The hands are put in a place where they won't be in the way, such as next to the waist. The legs part a little to either side. The person can hold this posture for a long period, possibly crossing her legs from time to time.



ETCETERA

Sitting in a seat that doesn't fit the body

The way we sit depends on the type of chair. In a low chair, the knees are higher than the waist, and it's hard to shift the body weight accordingly. In a higher chair, it is impossible to fully relax the stomach and/or leg muscles.



strongly tied to the type of chair involved. With a low chair, the body weight has to sink quite a bit; managing that weight shift is difficult. With a tall chair, the waist and the body weight must be lifted. If there is something on the chair to grab onto, it is easier to sit this way, so most people will use it.

Note that actions match the chair involved, whether it's a sturdy sofa, a tubular chair, or a chair on rollers. Of course, it is not all up to the chair; we

must also pay attention to the person. If she is wearing a long coat or a skirt, she will tuck it in behind her before sitting. The person's mood will also alter the action, depending on whether she is tired, thinking, or in a different state of mind.

Linking to the next action

The way we get up depends on our next action. For example, if someone is in a hurry, she will first lean way back, then burst forth from the chair,

propelling herself into the next action. When someone is reluctant to get up, that person may lean sharply forward, raise the waist only a little, and continue on with the shoulders slumped.

Our posture changes according to how long we sit

If we have a completely relaxed posture when we are asleep, then we have a half-relaxed posture when we are sitting. There is a strong

likelihood we will stay seated for a long time, or will perform tasks while seated. Sitting still for a long time is difficult, and maintaining the same posture is painful. If the person sitting is not asleep, we're bound to see some sort of change in the posture. When depicting any activity done while sitting, we need to be clear on just what parts of the body are still and what parts are moving freely.

The movement pattern used here is two steps of a "brisk walk" that lasts 1 second. The 1-second movement is replaced with 30 frames from which approximately every two frames out of 24 have been selected for close inspection.

frame

0 initial stage



2



walking

continuous tumbling and its control


The bipedal walk is inherently unstable, unlike the quadrupedal walk, which can be halted in any position. It is built on continuous tumbling and its control. The head is stable while the body moves. Walking is based on a steady rhythm that differs from person to person. This chapter analyzes the walking movement produced by alternately putting the right and left foot forward.

16



18






0

sending the right leg forward


Walking is a steady repetition of tumbling and control. The position starts the moment the right leg is sent forward. The head faces directly forward and the arms hang loosely. The left leg tenses and supports part of the body weight. The right leg is bent and brought forward. The left leg's hip, which forms the fulcrum, is positioned higher and faces to the right. A crease forms below the left buttocks as shown by the right side's extension. At the same time, the spine and head twist laterally to keep the head level. The upper body faces and bends forward, just before the center of gravity is thrown forward and the balance is upset.



2

getting off balance

The head is positioned more forward than the heel, but the right foot has not yet arrived on the ground, which shows that the body is losing its balance. To keep the body from turning as a counteraction, the left arm swings forward and remains relaxed while the elbow naturally bends with it. Energy is put into the left leg to carry this position. Its upper thigh tenses slightly when the right leg is lifted and brought forward. The toes are flush against the ground.



The walking motion

Bipedal walking allows human beings to stand upright and walk on two legs, while the more stable quadrupeds have four fulcrums. The human spine creates efficient movement in walking or running—we are able to stand easily and run faster than animals—but we do get

backaches. So why did we become *Homo erectus*? An erect posture supports a heavy brain that enlarges when greatly cushioned by the spine.

The walking rhythm


Walking is based on a steady rhythm: alternately putting the right and left foot forward to create a two-

beat cadence. Adding a "stop" produces the three-beat waltz cadence. Such rhythm differs from person to person.

4

advancing the right leg

The right leg with its mobile lower part below the knee is propelled forward, but has not yet landed on the ground. The greater the degree of fatigue (careless motion) or hurriedness (the leg quickly pushes forward), the more prominent the kicking motion becomes. While the left leg remains still, the heel is lifted up as the body and arms advance forward. The right arm swings in reverse to keep the upper body from twisting.




Advancing the leg with a kicking motion

8

landing and its impact

The body weight is almost relieved from the left leg, and borne by the right leg, which is firmly planted on the ground. The sole of the sliding foot lies flat and momentarily bears the weight to allow the left leg to bend at the knee, which is perpendicular to the ground. The right foot's large impact on the ground generates a brief vertical jolt in walking. The chest, buttocks and other areas with excess flesh jiggle as an aftereffect. A woman's chest momentarily drops and her arm moves backward. Thus, the left elbow becomes more bent like the left knee and is lifted slightly to move forward. The right foot, which points upward rapidly descends, creating a conspicuous impact.




The foot is planted with the leg perpendicular to the ground

6


carrying on the momentum

The leg and hand extend fully forward in a sliding motion. The arm swings approximately until a maximum point. The hips (the right raised higher than the left) and shoulders (the left raised higher than the right) twist slightly in opposite directions, while the areas around them and the center of the head do not move. The head remains level and exhibits an up-and-down motion, but the neck does not tilt. The left hand and leg stop in place. The nonparallel lines drawn through the shoulders and the hips cross each other. Thus, the spine is slightly flexed laterally. The area around the belly button and the middle of the forehead remains aligned to the center. If these two points swing, control over the center of gravity is lost, either from front to back or from side to side.



Getting off balance in a forward motion

The body slides forward.



The control point for the center of gravity does not move.

The body twists

10

on to the next tumbling

The first step is now completed. As the first countermove, the body's center of gravity shifts to the right leg while the left leg moves forward to attain a posture. The sole of the left foot is also lifted and the thigh is sent forward past the perpendicular line. The right foot is immobile. The muscles tense to support the body's weight and both arms return in position. The hips and shoulders twist similarly in reverse.

Impact

12

sending the left leg forward


The action is half completed. The position is practically the flip side of the action at the very beginning, with the arms swaying lazily. The left leg is comfortably in front, with the bottom of the foot looking back and the toes slightly raised. The left side of the waist is still lower because the left leg is acting as the pivot to propel the body forward.

14

getting off balance

This is the flip side of frame 2. From here on out, let's examine some of the finer details of this action and study aspects of different walks. There are all sorts of walking styles. One striking example is the big restrictions inflicted on a person wearing high heels.

restrictions from wearing high heels while walking



16

advancing the left leg farther


This is the flip side of frame 4. Women have restrictions inflicted on their walking by not only high heels, but also the shape and length of their skirts. In this frame, the material of the skirt would press against the top of the thigh, and from there down, horizontal wrinkles would be seen.

18

carrying the momentum on

This is the flip side of frame 6. Let's check out the movements of the arms in more detail. The left arm is returning forward. The elbow is straight, and the fingers are bent back. The arm is slightly farther out than the shoulder. The right arm is swinging forward. The elbow is bent and the forearm is

thrown forward and is twisting slightly inward. The palm is facing down, and the wrist is bent slightly downward. Neither hand is exerting itself and is just going with the flow—slightly rounded and spread out.




the way the arms twist, the shoulders move, and the elbows bend when we walk

20

landing and its impact

This is the flip side of frame 8. The thigh muscles on the left leg are flexing. The spine is slightly bent to the side, but the navel and the middle forehead are still in a straight line. From the side, the head looks like it is out in front. The waist is a little bit to the left and forward, and the right shoulder is slightly in front.

Equilibrium is destroyed as we move forward.



These gravity-controlling points do not move.

❖1 ❖2. Restrictions on walking

We naturally change our posture and speed when walking, depending on whether we are tired, in a hurry, etc.

● Women's high heels

High heels inflict a big restriction on women who wear them. These

shoes narrow the length of a step because they limit the movement of the heels. We can also see the importance of the toes when we watch someone walk in high heels. The reason women can't take bigger steps when wearing high heels is that the toes are already fully extended and can't stretch anymore. The

reason the feet can't stay behind longer is that the toes are bent and can't support the body's weight. It is more difficult to balance in high heels as well, which is why women take smaller steps when wearing them.

● Women's skirts

Tight skirts that come to just above


or below the knee do not hinder a woman's walk as much when they have a slit in the side. Tight skirts enhance the bend of the back leg and keep the front leg from advancing much. It is worth the time and effort to study the construction of skirts and know how creases appear on them when a person is walking.

on to the next tumbling

This is the flip side of frame 10. Let's investigate the head. It stays level, though it goes up and down a little because it can't stay at the same height while the legs alternately take steps. The neck is not straining, but it is ready to suddenly lean to either side if it needs to absorb a blow. That's why the head can stay still during walking, as long as there are only small movements from the shoulders down. Of course, the head is not completely immune to reactions; it moves just enough to not affect its field of vision. Note that the head is usually leaning a little bit forward.

again with the right leg

This is the same as the first frame. But this is not the end. Like in the other frames, the body is ready to lead into another action. This frame can link with the second frame if the walk continues.



ETCETERA

Walks change according to the physique and age of the person

There are all sorts of walks. They change according to people's figure, age, and personality. Fat people place more burden on their legs. To shift their body weight, they control their posture in a very different way. The arms create a big half circle as they swing along the fat spilling over the sides of the stomach. The body weight is constantly pulling forward, so the upper body leans backward. Because the range of vision around the feet is limited, movements tend to be slow.

But age is probably an even bigger factor in walking than physique. Infants who can't control their posture and

children who let their actions be led by what interests them don't walk straight.

Adolescents walk in a simple way because they haven't developed a self-conscious style yet. Self-consciousness sprouts in adults, and walking changes in all sorts of ways.


At age 40 or so, walking feels like exercise, as it tires us.

The elderly may use canes or have to muster up all their might to move.

In the first half of our lives, the reasons that our walks differ tend to be inside ourselves. In the second half, the reasons have more to do with the condition of our bodies, especially our hips


and joints. But in any movement, our personality and reflections of how we want to be viewed by others can be glimpsed. Walking is one activity where this sort of self-consciousness can be strikingly apparent.

People rarely walk in a straight line and with the same feeling. Many reasons exist to make this so. From physical reasons like differences in the grade of the path to reasons driven by personal feelings, we manage all sorts of things as we walk. Make sure you don't have the footprints falling in a uniform pattern, as if they were all measured out.



The upper half of the body leans back on fat people.


This sample action is just about 4 seconds. The woman walks up and down two steps. Each second includes 30 frames, and we've pulled out every tenth one to display here.



climbing up and down

lifting the body up, then cautiously bringing it down




The ground is uneven. That's why we've constructed stairs to smoothly climb up and down. How does a person comfortably climb up stairs, or how does she safely climb down them? We'll step directly into the issue of people and stairs, and investigate an action that is more difficult than walking by breaking it down into small doses.



Movements

Exploring the Mechanisms of Body Movements

climbing
up and down




down

0

checking the steps


The steep steps used in this sample clearly show how the body changes. Most steps are not as high. For starters, as the person approaches the step, she looks at the first one. She then lifts her right foot to place it on the step. The hip is facing slightly out and toward the right.



10

onto the first step ↩1


The right foot comes down on the first step. The left arm reacts by swinging forward and up. The right leg is exerting itself. This is the moment where the body weight is shifted up. The action at this point is very similar to walking. The head is angled down a little as the eyes check the next step. The back is sloped and the arms hang at the sides.



20

bringing the body weight up ↩2

By using the strength of the right leg and the forward-leaning tendency of the upper body, the waist is moved. By using these reactions, the body weight shifts and the person successfully climbs the first step. The upper half of the body leans quite a bit, and the chin juts out. The hands float in the air—they have nothing useful to do at the moment. The waist and the rest of the body move to the left and forward. The right leg, which is supporting the body by itself, is bent. The body is being lifted into the air by the person's energy as well; the leg does not have to bear the full weight of the person.



30

setting off for the last step

This is just before the person steps on the top stair. The left leg has yet to touch down on the surface. In order to come to a stop on the top stair, the body begins to shut down the continuing reactions that would normally take place. Most of the body weight is shifted to the slightly bent right leg. The upper half of the body is leaning forward a tad, and the waist is still directly above the right leg. The right arm swings forward.

Opposing gravity on the way up; being pulled by it on the way down

Stairs are made so that people can climb them one at a time and descend them as well. When moving across a surface that has different grades, the body bears a greater burden than when it is just walking. When climbing, the body has to lift all its weight while opposing the pull of gravity; when descending, the body has to control its reactions as it shifts its weight lower. Going down is harder on the legs and hips as people

are pulled by gravity and are careful not to fall.

People move up and down at a slower speed than when they walk. When going up, the energy needed to lift the body slows them up; when going down, the body is slowed because it is careful not to misstep. Also, the head is placed differently than when it is walking. This is a unique form of movement, and people must control their center of gravity, which is why we should pay close attention to the head's placement.

It's also necessary to understand

how stairs are made. The angle of the stairs, their width, the presence of a railing or antislip material—stairs are made of many components that affect the way we move.

↩1. Onto the first step—how the parts move

The hips are still in the back, with the leg closest to the ground. The head, which was looking down, shows its intention to move ahead by sticking out. The upper half of the body leans forward. The left leg helps by staying where it is.


↩2. The line of vision when bringing the body weight up

If someone is climbing a long flight of stairs, that person can estimate the height of the next step, so he or she usually looks farther up the stairs. But if the staircase is like those short stone staircases found on walking trails, a person might not see that one of the stones is missing and step right into the hole. We check out the first step carefully, then we tend to look farther up the path.

40

arriving on the last step


The left leg exerts itself as it lands on the top step. The right leg's role is almost finished. The upper half of the body, which had been leaning forward up till now, straightens up. This is the body's way of preparing to balance while standing still—it shuts down all of the impulses to continue on. The head, which had been angled down, returns to a level position. This is the posture of someone who has just climbed a hill and finds herself on level ground. The hips are low. They have carried weight to this point. After this, they will be in a higher position.



50

just before the pause


The left leg has jumped up and is stretching, bringing the right leg up in reaction. The waist is still being pulled a little, and the body weight has yet to settle. All of the weight is on the left leg, and the right leg is coming to help. Once the legs are even, the body goes into a resting posture. This is the point just before the body is still, so all of the movements are slowed down substantially.



60

on the top step

The body is standing still. The waist is stabilized. Both feet are standing evenly. Both arms are hanging down without any sign of exertion, even though they are swaying. The upper body is stretching back. The chin is slightly drawn in. The shoulders are full, and the knees are straight. Note that if you draw a straight line from the heels up, the waist would be slightly ahead of the heels. The shoulders are behind the center of the waist, and the head is in front of it. This is how the body balances itself. The action has been completed, but a person can't stay like this forever. The joints begin to bend as they prepare for the next action.




a resting posture in the middle of the action

70

taking the first step cautiously

From here, the body descends the stairs. This is the point when the first step is made. The waist is a little lower but in the same place as before. The left leg supports the body weight, and the right leg moves cautiously forward. The right leg is extended as it searches for a spot on the lower step. Both arms help the body balance by being slightly raised and to the sides. The right arm maintains the same position as before, while the left arm moves to try to compensate for the imbalance caused by the right leg's action. The body is leaning forward, and the head is looking down. Just as when the body takes its first steps up, it is very careful when taking the first step down. The shoulders are rounded and behind the hips. From this position, it is still possible to stop descending and return to the top.




descending uncertainly

80

letting the body fall ↻3

The right leg is descending to the lower step. The body remains straight as it goes down. The right foot has yet to touch the lower step, but the toes are fully extended. The left leg supports the body weight as much as possible as it tries to alleviate the impact of landing on the step.



↻3. The cautious first step

We slowly start our descent on stairs through the efforts of the left leg and the way the waist remains in a higher position. The first step is especially cautious. The rhythm and movement of actions up to now change at this point, no matter what the preceding actions were. This is an interesting point to investigate more closely.

↻4. The impact and range of vision when the next step begins


Basically, people don't watch each step they make. Unless there is some special reason—like dangerous material afoot—people don't just look down as they advance.

The impact of landing can be seen in the muscles and joints, but it also

90

onto the next step ↻4


The right leg lands on the lower step. The knee is bent to soften the reaction to the landing. The right leg is using a lot of its strength. The arms are not exerting themselves, but they are stretching down from the impact of the landing. Once they've fully extended, they sort of bounce back up. The jaw is drawn in; the eyes are looking farther ahead. The left leg begins quickly to head for the next step; it almost slides off the step.



100

landing and its impact ↻5

The legs stretch out for the final step. This step is different from the last; the groin is stretched further. This is because the steps before this were narrow, and the leg has arrived at a wider surface to step on.



can be seen in a woman's breasts or hair. The body sinks for an instant, then bounces back to normal. The movements are fast because they are falling actions.


↻5. The last step is full of relief

When the bottom is reached, movements are influenced by physical and mental feelings of relief

at being released from the restrictions of the stairs. This movement, free from the tension of previous movements, can be a little negligent. The body doesn't support itself as strongly, and the impact of this step can be stronger.

carrying the momentum on

This is the last frame of the descent. Once the ground is reached, the body is propelled forward. To control this, the legs take shorter steps. The head is forward as it checks the place the body is heading towards. The upper body leans to the right, just as the front foot does. The knee cushions the impact by bending. The waist also lowers. When the waist is in a lower position, it is proof that the leg muscles, not the bones, are supporting the body weight.



back to normal walking

The momentum propelling the person after the last step to the ground is controlled in one step. From here, the person can walk at a normal pace. The descent of the stairs is complete, but if the staircase was a long one, a throbbing can be felt in the thighs. It seems that we would tire more on the way up, but actually the back and legs have more of a burden to bear on the way down. To soften the blow of going down the stairs, the legs have exerted themselves quite a lot.



The structure of steps; the effect of shoes

When climbing the stairs, we lift a leg, advance the hips, and shift the body weight with a burst of energy. If the stair is short, the strength of the leg and the movement of the upper body is enough to advance. But the first step involves bigger movements than the other steps. From the second step, we


can use the energy from the first and get into a good tempo as we climb.

In this sample, we've used two tall steps, but in reality stairs are rarely that tall. Some stairs are very difficult to climb, and this creates different body movements than those seen in this example. To capture movement on these sorts of stairs, closer study is necessary.

We also need to pay close attention to instances where the person is wearing boots that immobilize the ankles. When climbing and descending stairs, if we can't use our ankles to help our feet land properly, the body weight won't be supported and our posture becomes difficult to control. Sometimes, a person won't be able to bend her knee because the

back leg can't support the body weight or the ankle of the front leg is unable to move. When we look at instances where a person is disabled in some way, it is easy to see the roles of different body parts.

the shape and structure of stairs



E T C E T E R A

A variety of stairs

Generally speaking, there are five types of stairs: straight stair; ones that bend at a 90-degree angle; ones that bend in the middle; ones that have a landing in the middle; and spiral staircases. The top of the stair is called the tread. The part that is perpendicular to the ground is the riser. The part of the stair that juts out a little and has antislip material on it is called the nosing. It is there to make the steps just a little bit longer. If there is a handrail, it is usually 31.5 inches above the steps. There are very few stairs sloped at 45 degrees or more, or steps shorter than 7.9 inches.


This sample action is of someone who has been running completely unencumbered for a while. This action shows 1 second of the running in 30 frames. We've provided almost every other frame here.

frame

0

initial stage

4



running









the continuously bounding body

Running is not an everyday activity for everyone. Perhaps that's why we can see an elegance and refined beauty in this action. It's an action where half the body is working very hard. It's also an action that isn't always done in an ideal way. In this chapter, we will explain and examine the physical side of running from the viewpoint of someone creating animation of the human body. We will also look at the basics of running and how circumstances can transform a person's run.

22


24





impact of landing ◀1

This frame captures the moment that the right foot lands on the ground. The right leg is using a lot of strength, and most of the impact of landing is absorbed by the knee. Even so, the whole body shakes from the impact. Because the leg is coming up again soon, the hands don't drop.




4

body sinking down

Once the right foot has landed, the body is propelled forward, pushing that foot to the rear. When you look at someone running, this is the lowest point. The right arm stretches out before the rising left thigh, which is also heading forward. When the right

foot hit the ground, the whole body felt the impact, and women's breasts sag for a moment. The jaw also drops a little, although the head is trying as much as possible to stay level. The shoulders are sunken. From here, the whole body begins to rise.



Three telling characteristics of human movement

The three most important characteristics of human movement for animators are consciousness, weight, and habit. Consciousness refers to what a person is interested in and where he or she is looking. It also refers to separating consciously made movements from subconscious ones. Weight affects possible reactions to movements, including preparatory and successive actions. Also the animator must consider how

weight is supported and balance is maintained. The final characteristic, habit, is about individual differences. Movements can convey differences in gender, age, and race, and bring out the character and circumstances surrounding the individual. These three categories are prime subjects for further investigation and must be enhanced in the depiction of the human body.


Another important and fundamental topic is the understanding of the human structure. We move around

without much thought of how our bodies work, but actually human bodies have shapes formed by movements and movements formed by shapes. To use a very simple example, because we have two legs, we necessarily tend to walk in a certain way. However, we weren't given two legs for the purpose of walking. Once we deeply understand the human structure, we can probe beyond the general circumstances and imagine more movements.

6

body bouncing up

In one burst, the body tries to rise diagonally. The shoulders shrug as they rise. The right arm moves closer to the chest to maintain balance. The fist rises first; the shoulders follow. Remember that the fist's rise is especially fast. It is driven to rise; the hand uses its strength to stabilize the body. The underarms are firmly shut. The left thigh is exerting itself and is just about to kick up.



◀1. The impact of landing—posture and body weight

Look at the picture in frame 0. This is one picture taken of a woman in the middle of a run. The upper body is leaning forward a bit, the head is raised, and the eyes are staring ahead. Usually, the jaw is slightly drawn in when running. When a runner gets tired, the jaw begins to jut out. This movement forces the shoulders out, slopes the back, and pushes the hips back.

8

body stretching up

The left leg has risen. This gives birth to the biggest reaction. To run faster, the thigh rises higher. The waist and shoulders twist deeply to retain the equilibrium on either side. The right foot is pushing off the ground at this moment. The body is leaning forward and pushing up. The right arm stays up. At this point, a woman's breasts would be flung to the left and up. The upper body also twists this way. The left arm is bent at the elbow as it pushes back. This is the point where the body is at its highest, as the shoulders, arms, and legs all push the body up. From here, the body sinks.



12

body falling

The body begins to fall. The arms and shoulders continue their movements. The elbows, shoulders, and chin stay raised. The left leg stretches out quickly in an effort to land as far forward as possible. The right leg has left the ground and is released to the rear. The body looks as if energy is being drawn from it as it falls forward and prepares for the next impact.



16

landing and proceeding

Now the left leg lands. The left leg below the knee is at a right angle with the ground as the knee and thigh try to absorb the impact of landing. The body continues to sink. The image here—stable and strong—is different from before.



18

preparing for the next jump


The body continues to sink. The left leg is preparing to push the body upward. The right hand also subconsciously comes back. The left hand begins to lift the upper body. It is trying to keep the right leg from turning the body around.



20

carrying the momentum on

The body has sunk again. The left leg is bent, and the whole body is low. A low stance indicates that the body is carrying a burden. Because the person leaped forward, she must sink. This sort of compensation—to move faster, a person has to bear more of a burden—is what tires a runner out over the long haul.



body stretching up

The body begins to stretch out again. The left leg uses a lot of strength to propel the body upward. The left arm has also risen. The right leg is already coming to the front. At this point, the toes on the left foot are tightly gripping the ground. For comparison, the toes on the right foot are just being carried along. The left arm is making conscious actions, and the upper part is exerting itself.



Running without swinging the arms

If we can't swing our arms when running, we become unstable and we can't lift our legs as high, which reduces our speed. To run fast without using our arms, we may try to make our strides longer or make the legs go back and forth faster. With the former, the body will rise more, making the impact upon landing stronger, but the movements are

slow, giving the body stability. With the latter, the body minces forward in an agitated fashion. While the impact of one step is slight, the body constantly swings wildly, creating instability.


Out-of-control, wasteful actions

When we tire, our movements become confused. We really don't want to use our muscles any more, so

legs at full stride

The left and right legs are at their most distant. The left leg is once again off the floor and kicking backwards. The left shoulder is pushing

forward. The head tries to stay level but it still moves quite a bit because the upper body is twisting a lot during the run.



just before landing

The right leg is extended and near the landing point. Note that the shoulder will swing out more than usual if the runner is carrying something or can't swing her arms for other reasons.




Turning awareness on and off

Running is an action that clearly shows when awareness or consciousness is "on" and "off." The arm comes forward with intention, which means it's "on." But it's "off" when it swings back. The legs are "on" when they thrust forward or when they kick off the ground, but they're "off" when they extend backward. This doesn't mean that runners consciously think that it's

body stretching up

The legs stretch out again. The extended leg heads toward the ground, and the knee bends just before impact. The median line of the body, which runs through the center and connects the central spots in the shoulders and the waist, is a very important tool in understanding the upper body at all times, not just when running. If these two spots start


to slip out of line, the head or legs will always try to compensate. If they slip too far, the runner could fall over. Note that with any movement, the connection of these two spots and a third spot where the feet hit the ground dictates the movements of the arms and legs. The median line is especially important for a person standing straight.



at the end of a full cycle

This frame is the same as the first one. The impact of landing is running through parts of the body. This frame can be seen as both the moment of the biggest vibration and the stillest moment. Even as the run slows, it is still a run and not a walk. The difference is in how the leg kicks up from the ground during a run. In fact, this is the most distinct characteristic of running. It doesn't even occur in fast walking.

Now you can begin to see when the shoulders, hands, hips, and other parts are at their highest and lowest points, and when an action is intended or involuntary.



time to swing their arms. Running is something we have become used to, so we run in a manner that is most comfortable to us.

Any action has levels of mastery. Running is not something we do every day, which is why differences emerge. An extremely different form of running would be skipping. People don't run that much. Running puts a big burden on the body, which makes us reluctant to run again. If it's not for

exercise or training or some other voluntary reason, most people run as if they have no choice.

Usually, people don't run in a straight line; they may turn as they run. They tend to form a bit of an arc because of their momentum. When turning a corner, it's dangerous to just check for oncoming traffic at the last second, so runners slow down by leaning their upper body back and putting a stop to their reactions.

Also, running for a long time and running for short bursts are clearly different. It's the difference between pacing yourself and going for speed. When running, toes play a significant role in lifting up the body. So shoes—with hard, unbendable soles—seen on hard leather shoes, for example—are not suitable for running. They don't allow the toes to bend on the ground to lift the body. For the same reason, high heels and loose

sandals are also unsuitable. Boots and high-top shoes restrict the ankles, and backpacks put a burden on the body, making it increase its reactions to compensate. We need to consider all of these points and more once we have understood the basics of running.

Movements

This sample action includes three continuous actions—visualizing the feat, jumping, and landing—that take about 3 seconds to complete. With 1 second taking 30 frames, this action has 85 frames. We've chosen almost every seventh one to display here.

frame
0 initial stage



7



jumping

the shape of consciousness

Now for jumping. We'll focus on the mainly conscious decisions made here, from the difficult task of controlling the body weight to the building of the strength needed to make a jump. With any action, there is first an intention and then the action trying to fulfill that intention. In the continuous act of jumping, what intentions are at work as movement occurs? Let's take a look at a vertical jump to learn.

56




63




jumping

14



21



28



35



42




49



70



77




84



0

checking the target 1


First, the person checks the target. The upper body stands tall; the body is stable. The right leg steps back just a bit as if in preparation for the throw. The head juts forward a bit in a relaxed manner. The right hand, which holds the ball, and the left hand are



37

shifting the body weight to the rear

Now he's ready to throw. The upper body turns to the right and faces the target at an angle. The left leg leaves the ground. The right arm rears back. The hips move back a little while the shoulders drop back. The head is staring at the target.




52

compound movements 3

From here the body moves forward in one stride. The consciousness is concentrated in the right arm as it passes energy through to the ball. The forearm from

the elbow continues to move. This is a moment when all sorts of parts are rotating in a complicated manner. However, the head stays focused straight ahead.




58

first axis of rotation 4

The body creates energy in an instant by compounding the rotation of different parts. The right arm lines up to throw the

ball as straight as possible. The first and biggest rotation begins now—the rotation of the whole body.



4. First axis of rotation

The body weight has been lowered sufficiently and placed on the hips. As the body moves forward, the waist rotates to the left. The legs are far apart, forcing the body to work at maintaining its equilibrium while these two big actions take place. The left leg has touched the ground. The right leg, which was bearing the body's weight, begins to transfer it to the left. At this moment, the parts that are moving the least are the hips. The right arm is finally finished holding

the ball aloft; the arm is just behind the head with the wrist bent outward. The left arm has also stretched outward as much as it can. The chest is wide open, and the body from the waist up is beginning a big rotation to the left.


5. Second axis of rotation

The right elbow has been pushed down in the rotation, but the right hand is where it was before. The chest is pushed out, the right leg is exerting itself, and the left leg is left

62

second axis of rotation 5


The rotation of the hips continues. The upper body proceeds to turn until facing forward. The whole body turns in an arc at this instant. It's like a taut bow about to shoot an arrow.



65

third axis of rotation 6

Once the hips are set in place, the rotations continue. At the same time, the placement and direction of both feet change. The third axis of rotation—the right elbow—begins. The fingertips on the right hand pick up speed.



behind. The waist has already fallen forward a bit. The second axis of rotation—the shoulder—is supported by the body's rotation, as the right arm from the elbow up quickly moves forward. The head, led by the jaw, moves forward.

6. Third axis of rotation

The upper part of the body, which had turned back, comes bursting forward in one fluid movement. The right shoulder is raised and near the ear. The right elbow is out in front of


the rest of the body. The left elbow and hand are pulled down by the rotation; they are basically not a conscious part of the movement now. Also, the shape and placement of the left arm in relation to the body do not really change. The left arm stays close to the body and waits to see if it needs to adapt to different circumstances.

67

fourth axis of rotation and release of the ball

This is the moment when the ball leaves the hand. The body is continuing the movement of the last frame, and now the right arm is fully extended. The final axis of rotation—the wrist—gives a last spurt of energy to

the ball as it is released. If you don't add any unique traits to the rotating wrist, the path of the right arm from frame 62 or so to this frame is almost completely straight. This results in the ball flying straight.



A straight arm means the ball will fly straight.

69

following the ball with the eyes

The body sinks farther as it reacts. With its role done, the right arm stays fully extended as it falls in a diagonal line to the left. The head follows the ball. The right shoulder is pushed out; it leans to the right as it rotates left.



76

body curled and sunk down

The right arm swings until it hits the body. The body sinks farther. The hips are pulled forward. The head is still raised to keep the body from falling forward, but it is no longer staring straight ahead. Athletes will still be firmly focused on the ball at this


point, but for an amateur who has just thrown as hard as he can, the body's rotating will lead to a rotation of the neck. All of the body's weight is on the left leg; the right leg is practically using no energy and is on the ground or almost touching it.



The body sinks farther in the aftermath.

releasing the momentum


The left leg extends and lifts the body, allowing the energy accumulated there to escape. The right arm counters this by rotating in a big motion to the right and back to the place it started. The right leg continues the movement it was making before. The upper body follows the right arm as it starts to rotate in the opposite direction. At this point, the person tries to raise his head. The base of the jaw and the neck move back and up, forcing the jaw to jut out a little.



106

back to the starting posture


The right foot hits the ground. The left leg is stretched, and the hips are almost back to where they started. The back is also stretched, but it has to come back from the big movement made by the right shoulder, so that shoulder is still a little higher than normal. The right arm, from the elbow down, swings back. The neck, which had been pushed back and up by the head, keeps rising; the chin follows. Overall, it's one moment in a quick action.



120

checking the result


The person slowly checks whether his throw hit the target. As the body returns to the starting position, the right arm swings even farther back.



ETCETERA

A fluid movement using no strength

Actually, there are moments when the legs can no longer keep the body stable. It happens in the middle of the action; the body loses its balance and falls. In this case, make sure to thoroughly check the movements before and after the fall.



Throwing is an action related to objects

Throwing is an action that makes all sorts of body parts mobilize together for the sake of seeing just how skillfully a ball can be released. Awareness is focused on the ball. The body combines several rotations to give the ball speed and control its flight.

As you know, the wrist itself cannot

rotate. Two bones in the upper arm twist, rotating the area from the wrist on. The upper arm shows signs of the muscles twisting at this point. As the body rotates, the arm extends forward in one fluid movement and throws the ball. In this instant, rotations build one on top of the other until they peak in the fingertips by creating speed for the ball. The fingertips even fill with blood.


Remember that the job of supporting the body shifts from the right leg to the left. The lower half puts the ultimate priority on stabilizing the body. That job is shared by both legs. People can't fly, so the body's weight must always be supported somehow. If this part of the depiction is done crudely, the movements will look light and unrealistic. Also remember that

throwing has a fluidity that slowly builds to an agile throw and a leisurely return.


Where is energy being expended? How will it affect the ball? Some parts are following through with movements they originally had no intention of making. It's important to understand this fluid movement that doesn't use strength.

This is not a timed sequence, but a variety of different ways to stand. We'll investigate the special characteristics of these stances and discuss how impressions change a lot depending on the gender of the person doing the standing.

pattern
1



2



standing

the still action







Now let's turn to an action that doesn't have any clear movements connected with it—standing. Perhaps standing shouldn't be thought of as an action, but rather as a mode of expression using stances and postures. But there's no question that many body parts work to maintain balance when we stand. Let's take a long look at some different angles of people simply standing around.


9



10








Exploring the Mechanisms of E

Movement

pattern

0 initial stage


2



looking back

movement and awareness of the eyes

Generally speaking, there are three different ways to look



basic posture at the beginning

0 in the beginning

Let's assume that while a person is sitting down, someone calls out to her, and she turns to see who it is. The action is a short two seconds or so. We won't be portraying this action in frames; instead, we will simply focus on the significant movements as they occur over time.

1 before the action

This is before the person looks back. The back is slightly sloped and the shoulders sag—it's a normal position. The eyes aren't really looking at anything specific; they look out into space, often straight ahead and down at an angle. Actually, it is rare for people to look at nothing; the eyes are usually restlessly following something. That doesn't mean they are always aware of what they are looking at, but the head and eyes are constantly looking around.

The eyes are still not looking at anything.

an eye that is not looking at anything specific



The first direction usually taken by an eye that isn't looking at anything is a spot diagonally below the center.



The neck leans forward.

2 initiating the action

The head begins to rotate in the direction of the call. Usually, the jaw leads the way. The head tilts a little in the opposite direction—in this case, to the left. In the depiction here, we've assumed that the woman was suddenly called. Her mouth was closed (not in a conscious way), but as she turns, it opens slightly. At this stage, the mouth isn't always open, but for an instant, as the head rotates, it seems a natural pose.


The chin is drawn in a bit. The

eyes are focused on nothing in particular, but the line of vision is diagonally down and to the right. The woman has no special expression. She has just begun to turn her head.

line of vision in the middle of moving



As the eyes turn back to see who is calling, the line of vision drops diagonally down and to the right.



The head tilts to the left.

The jaw leads.

1. Looking back

Instinctive actions are very quick and difficult to catch. For example, if a loud noise occurs, we infer that danger is near and turn as quickly as possible in the direction of the sound. To that point, it is still a subconscious activity. But after that, the person considers the situation, estimates the danger, and plans the next action. When we engage in a subjective

action like looking back for something, we don't need to rush as much as we do with an instinctive action. If there is nothing special about the circumstances, we can take some time to make the move.

The subject has not yet been identified as the person begins to look back, so her eyes drift in space for a while. When a person reflexively looks back, the subject has made its

general position clear by making noise; the eyes estimate the source of the noise and naturally catch up to it.

However, when looking back, we sometimes glance at another spot, or fully turn to look squarely at the object of our attention, etc. We can also look back using only our neck and head, but the weight of the neck alone will end up shifting the body

weight. When we consider the aftermath, or if we just want to capture the action precisely, it is preferable to have the upper body move as well. The spine is connected to the bones in the neck, which is why the shoulders also move.

3

straightening the upper body

The upper body straightens. The head was tilted slightly to the left, but it rises as the whole body moves back. The biggest change occurs in the eyes: they were gazing down, but suddenly they look up and to the right. They haven't found the subject yet, so they aren't yet focused on


anything. They catch the subject in the center of their vision, so the eyes tend to cross. When they tilt up, the eyebrows naturally follow. As the person consciously tries to see behind her, the eyebrow closest to the subject— in this case, the right side—rises. As the chin turns sideways, the skin

underneath stretches, naturally opening the mouth. But the mouth doesn't always open at this point.

eye looks for subject



As the pupil rises sharply to the upper right, so do the eyebrows.



The head tilts back to the right.

The upper body straightens and goes back.

4

catching the target with the eyes

The upper body leans farther back. The neck stretches to nearly its limit. This is the moment with the biggest changes. The skin on the neck is strained, and wrinkles appear. It's an unnatural posture, with the sternocleidomastoids in the neck straining under the burden of supporting the head. The eyebrows also rise, and creases appear on the forehead. The

eyes open wide as the subject is seen. The head leans farther back, and the mouth opens wide.

catching the target with the eyes




The eyes look back farther and open wide; the eyebrows rise, and creases appear on the forehead.

The head shifts to the back.

The mouth is pulled open as the skin on the neck is stretched.

Tension is visible in the sternocleidomastoids.

The upper body leans farther back.



5

taking a more comfortable posture

To this point, the person hasn't been thinking about her movements. She's been taken along by the course of events until her upper body is in an unnatural posture. The upper body is firmly straightened after leaning back too much. The body turns at the waist to face the subject. The spine is slightly bent to the left, and the right shoulder is higher than


the left. The neck is still turned back. The chin draws in as the upper body straightens. The subject is recognized, and the upper body is once again under control. The mouth shuts. The line of vision has also been raised, so the eyes, which were looking up, are in a comfortable position. The woman can see the person who called out to her, and she starts to be

conscious of being seen. The independent action of looking at the subject is combined with a subconsciously defensive look that comes from being watched.

the eye when being seen



Once a person returns to a posture that makes it easier to see, the eyes view the subject, and at the same time, react to being seen.



The neck faces right.

The chin draws in, and the mouth closes.

The upper body straightens by moving forward.